

BUREAU INTERNATIONAL DES POIDS ET MESURES
ORGANISATION INTERGOUVERNEMENTALE DE LA CONVENTION DU METRE
PAVILLON DE BRETEUIL F-92312 SEVRES CEDEX TEL. +33 1 45 07 70 70 FAX. +33 1 45 34 20 21 tai@bipm.org

1 - Coordinated Universal Time UTC and its local realizations UTC(k). Computed values of $[UTC-UTC(k)]$.
From 1999 January 1, 0h UTC, $TAI-UTC = 32$ s.

Date 2004 MJD	0h UTC	APR 29 53124	MAY 4 53129	MAY 9 53134	MAY 14 53139	MAY 19 53144	MAY 24 53149	MAY 29 53154	
Laboratory <i>k</i>		$[UTC-UTC(k)]/ns$							
AOS (Borowiec)		-84.1	-90.4	-94.1	-97.2	-97.3	-96.8	-94.5	
APL (Laurel)		-0.9	-9.5	-18.5	-11.2	-13.6	-13.6	-12.4	
AUS (Sydney)		-449.5	-462.7	-463.0	-447.8	-455.9	-467.2	-452.1	
BEV (Wien)		-6.3	-10.0	-11.5	-9.0	-8.3	-10.6	-13.0	
BIRM (Beijing)		1952.6	315.7	333.9	356.1	370.8	389.0	409.4	(1)
CAO (Cagliari)		-3851.0	-3844.4	-3818.0	-3808.4	-3792.5	-3775.9	-3765.2	
CH (Bern)		2.9	-49.7	-52.8	-58.0	-63.4	-55.9	-54.7	(2)
CNM (Queretaro)		2.2	4.9	11.2	8.9	10.8	15.8	21.0	
CNMP (Panama)		-3244.0	-3287.3	-3360.3	-3404.7	-122.9	-174.3	-222.9	(3)
CSIR (Pretoria)		1715.8	1643.1	1586.4	1521.9	1448.7	1367.6	1305.1	
DLR (Oberpfaffenhofen)		49.7	49.9	51.5	56.4	56.4	62.2	68.6	
DTAG (Darmstadt)		222.7	215.4	217.3	217.1	219.7	229.0	234.3	
HKO (Hong Kong)		1694.1	1758.4	1828.7	1902.0	1968.0	386.2	449.8	(4)
IEN (Torino)		18.2	18.8	18.9	35.8	29.2	30.2	20.8	
IFAG (Wetzell)		-2910.0	-2916.6	-2926.7	-2923.6	-2937.2	-2950.6	-2960.2	
IGMA (Buenos Aires)		-97.9	-99.1	-97.3	-98.6	-98.6	-97.7	-99.6	
INPL (Jerusalem)		-9795.3	-9836.1	-9877.0	-9910.8	-9943.6	-9987.3	-10026.5	
JATC (Lintong)		-10969.7	-10958.4	-10952.6	-10945.5	-10936.5	-10925.2	-10913.6	
JV (Kjeller)		-9202.0	-9159.1	-9140.6	-9144.8	-9095.6	-9023.7	-8998.5	
KRIS (Daejon)		-2.0	-13.5	-16.5	-14.4	-14.3	-14.7	-13.4	
LDS (Leeds)		345.2	369.4	390.3	404.1	422.0	447.9	484.2	
LT (Vilnius)		163.4	145.9	130.9	151.0	149.9	154.9	157.7	
MSL (Lower Hutt)		45.2	63.2	66.9	62.0	73.3	80.1	92.0	
NAO (Mizusawa)		-165.6	-178.8	-176.1	-174.8	-180.6	-187.1	-190.8	
NICT (Tokyo)		15.7	21.7	18.3	23.6	23.7	27.1	28.9	
NIM (Beijing)		-2665.3	-2667.0	-2657.0	-2655.1	-2661.7	-2662.1	-2666.0	
NIMB (Bucharest)		-312.9	-342.1	-340.9	-355.7	-341.2	-364.1	-362.8	
NIMT (Bangkok)		-1154.9	-1169.1	-1183.1	-1204.5	-1220.9	-1240.7	-1265.5	
NIS (Cairo)		-	-	10.2	14.8	37.3	59.1	88.8	(5)
NIST (Boulder)		10.3	10.5	10.6	9.9	8.9	5.4	2.8	

Date 2004	0h UTC	APR 29	MAY 4	MAY 9	MAY 14	MAY 19	MAY 24	MAY 29
MJD		53124	53129	53134	53139	53144	53149	53154
Laboratory	k	$[UTC-UTC(k)]/ns$						
NMC (Sofiya)		-3858.5	-3872.4	-3895.8	-3930.8	-3971.6	-3988.9	-4004.9
NMIJ (Tsukuba)		144.3	151.6	150.1	151.8	155.0	163.2	158.5
NMLS (Shah Alam)		-	-	-	-	-	-	-
NPL (Teddington)		53.2	53.1	55.6	55.7	63.8	64.4	58.5
NPLI (New-Delhi)		7255.8	7287.7	7320.5	7378.7	7424.4	7472.7	7517.6
NRC (Ottawa)		32.7	34.8	31.1	21.8	16.4	24.9	24.3
NTSC (Lintong)		-37.7	-29.0	-32.4	-32.1	-28.2	-29.6	-37.3
OMH (Budapest)		9032.0	9031.4	9061.8	9065.3	9060.4	9071.3	9090.7
ONBA (Buenos Aires)		-370.2	-387.6	-343.0	-389.1	-431.4	-406.1	-345.6
ONRJ (Rio de Janeiro)		3200.4	2962.1	2719.4	2478.3	2244.6	1997.4	1750.7
OP (Paris)		17.4	19.2	21.1	25.8	17.9	17.0	18.1
ORB (Bruxelles)		-28.6	-26.4	-24.4	-21.4	-22.6	-24.5	-25.3
PL (Warszawa)		-120.9	-118.2	-116.4	-111.0	-113.2	-103.9	-95.3
PTB (Braunschweig)		-34.2	-33.0	-31.5	-26.1	-24.2	-21.1	-24.0
ROA (San Fernando)		-12.2	-23.2	-28.9	-30.9	-38.5	-39.7	-34.7
SCL (Hong Kong)		3.0	7.9	17.7	22.2	14.4	3.0	1.4
SG (Singapore)		49.7	31.2	9.4	-11.7	-17.8	-23.8	-17.5
SMU (Bratislava)		-9875.9	-9899.5	-9932.2	-9968.0	-9997.8	-10043.2	-10060.3
SP (Boras)		298.8	311.7	324.8	330.8	341.7	343.3	353.6
SU (Moskva)		-12.8	-5.1	-4.0	0.0	0.8	-2.3	-4.0
TCC (Concepcion)		-6981.4	-7022.2	-7054.3	-7117.2	-7164.8	-7204.1	-7270.0
TL (Chung-Li)		28.0	23.0	12.4	16.8	18.3	23.3	22.8
TP (Praha)		33.4	28.4	27.9	23.9	18.1	8.7	12.1
UME (Gebze-Kocaeli)		213.9	225.5	241.2	246.5	257.5	253.4	239.9
USNO (Washington DC)		-5.2	-4.9	-4.3	-3.7	-3.9	-3.3	-2.9
VSL (Delft)		20.3	25.3	20.1	17.7	15.9	7.9	3.1

- Notes on section 1:

- (1) BIRM: Apparent time step of $[UTC-UTC(BIRM)]$ of about -1660 ns between MJD 53124 and 53129.
- (2) CH : Time step of UTC(CH) of +50 ns on MJD = 53129.
- (3) CNMP: Apparent time step of $[UTC-UTC(CNMP)]$ of about +3280 ns between MJD 53139 and 53144.
- (4) HKO : Apparent time step of $[UTC-UTC(HKO)]$ of about -1640 ns between MJD 53144 and 53149.
- (5) NIS : National Institute for Standards, Cairo (Egypt).

2 - International Atomic Time TAI and Local atomic time scales TA(k). Computed values of $[TAI-TA(k)]$.

Date 2004	0h UTC	APR 29	MAY 4	MAY 9	MAY 14	MAY 19	MAY 24	MAY 29	
MJD		53124	53129	53134	53139	53144	53149	53154	
Laboratory <i>k</i>		$[TAI-TA(k)]/ns$							
CH (Bern)		42963.5	43087.7	43211.3	43332.9	43452.4	43577.6	43696.6	
F (Paris)		169311.8	169309.1	169304.2	169298.9	169293.1	169286.6	169284.1	
IEN (Torino)		35655.3	35768.0	35894.5	36015.4	36132.6	36248.5	36362.3	
JATC (Lintong)		-34787.7	-34812.4	-34841.6	-34871.5	-34907.5	-34938.2	-34968.6	
KRIS (Taejon)		7117.2	7128.5	7148.2	7172.9	7195.5	7217.6	7241.4	
NICT (Tokyo)		186906.1	187105.4	187306.7	187516.5	187720.9	187927.3	188130.2	
NIST (Boulder)		-45263425.8	-45263621.9	-45263818.0	-45264015.0	-45264210.2	-45264407.5	-45264603.8	
NRC (Ottawa)		28836.1	28842.6	28843.0	28838.0	28836.9	28849.8	28853.6	
NTSC (Lintong)		481.5	494.4	497.6	502.3	506.7	511.9	515.4	
PL (Warszawa)		-2298.9	-2315.2	-2331.4	-2341.0	-2353.2	-2362.9	-2375.3	
PTB (Braunschweig)		-359189.4	-359183.6	-359177.1	-359166.8	-359159.9	-359151.5	-359149.5	
SU (Moskva)		27240987.2	27240994.9	27240996.0	27241000.0	27241000.8	27240997.7	27240996.0	(1)
USNO (Washington DC)		-34930644.5	-34930950.5	-34931257.3	-34931564.8	-34931873.6	-34932180.7	-34932488.4	

- Note on section 2:

(1) SU : Listed values are $TAI-TA(SU) - 2.80$ seconds.

3 - Difference between the normalized frequencies of EAL (free atomic time scale) and TAI.

	Interval of validity	$f(EAL)-f(TAI)$	
Steering Correction	53094 - 53154	6.920×10^{-13}	(2004 MAR 30 - 2004 MAY 29)
New correction	53154 - 53184	6.910×10^{-13}	(2004 MAY 29 - 2004 JUN 28)
New correction foreseen	53184 - 53214	6.904×10^{-13}	(2004 JUN 28 - 2004 JUL 28)

4 - Duration of the TAI scale interval.

TAI is a realization of coordinate time TT. The following tables give the fractional deviation d of the scale interval of TAI from that of TT (the SI second on the geoid), i.e. the fractional frequency deviation of TAI with the opposite sign: $d = -y_{TAI}$. In this section, a frequency over a time interval is defined as the ratio of the end-point phase difference to the duration of the interval. Whenever needed, the instability of EAL should be expressed as the quadratic sum of three components with τ in days: (1) a white frequency noise of $6.0 \times 10^{-15} / \sqrt{\tau}$, (2) a flicker frequency noise of 0.6×10^{-15} and (3) a random walk frequency noise of $1.6 \times 10^{-16} \times \sqrt{\tau}$. The relation between EAL and TAI is given in *Circular T* and the *Annual Report of the BIPM Time Section*.

In the first table, d is obtained, on the given periods of estimation by comparison of the TAI frequency with that of the given individual Primary Frequency Standards (PFS). In this table: u_A is the uncertainty originating in the instability of the PFS, u_B is the combined uncertainty from systematic effects, $Ref(u_B)$ is a reference giving information on the stated value of u_B or is the *Circular T* where this reference was first given, $u_{1/Lab}$ is the uncertainty in the link between the PFS and the clock participating to TAI, including the uncertainty due to the dead-time, $u_{1/TAI}$ is the uncertainty in the link to TAI, u is the quadratic sum of all four uncertainty values. All values are expressed in 10^{-15} .

Standard	Period of Estimation	d	u_A	u_B	Ref(u_B)	$u_{1/Lab}$	$u_{1/TAI}$	u	Note
SYRTE-F02	53109 53129	4.1	0.04	0.6	T183	0.2	1.5	1.6	(1)
SYRTE-JP0	53114 53124	4.9	0.7	6.5	T160	0.3	3.0	7.2	(1)
SYRTE-F02	53129 53149	4.9	0.04	0.6	T183	0.2	1.5	1.6	(1)
SYRTE-JP0	53124 53144	8.0	0.5	6.5	T160	0.3	1.5	6.7	(1)
PTB-CS1	53124 53154	3.5	5.0	8.0	T148	0.0	1.0	9.5	(2)
PTB-CS2	53124 53154	1.5	3.0	12.0	T148	0.0	1.0	12.4	(2)

Notes:

(1) Report on 7 June 2004 by BNM-SYRTE.

(2) Continuously operating as a clock participating to TAI.

The second table gives the BIPM estimate of d , based on all available PFS measurements over the period MJD 52764-53154, taking into account their individual uncertainties and characterizing the instability of EAL as noted above. u is the computed standard uncertainty of d

Period of estimation	d	u
53124-53154	4.9×10^{-15}	1.3×10^{-15}

(2004 APR 29 - 2004 MAY 29)

5 - Relations of UTC and TAI with GPS time and GLONASS time.

$$\begin{aligned} [\text{UTC-GPS time}] &= -13 \text{ s} + C_0, & [\text{TAI-GPS time}] &= 19 \text{ s} + C_0, & \text{global uncertainty is of order } 10 \text{ ns.} \\ [\text{UTC-GLONASS time}] &= 0 \text{ s} + C_1, & [\text{TAI-GLONASS time}] &= 32 \text{ s} + C_1, & \text{global uncertainty is of order hundreds ns.} \end{aligned}$$

The C_0 values are obtained using the values $[\text{UTC-UTC(OP)}]$ and the GPS data taken at the Paris Observatory, corrected for IGS precise orbits, clocks and ionosphere maps. The C_1 values are obtained using the values $[\text{UTC-UTC(VSL)}]$ and the GLONASS data taken at the NMi Van Swinden Laboratorium (VSL). N_0 and N_1 are the numbers of measurements. The standard deviations σ_0 and σ_1 characterize the dispersion of individual measurements. The actual uncertainty of user's access to GPS and GLONASS times may differ from these values. For this circular, $\sigma_0 = 1.9 \text{ ns}$, $\sigma_1 = 29.8 \text{ ns}$

Date 2004	Oh UTC	MJD	C_0/ns	N_0	C_1/ns	N_1
APR 29		53124	-12.3	35	299.1	21
APR 30		53125	-11.5	46	303.5	58
MAY 1		53126	-10.3	46	293.3	67
MAY 2		53127	-10.4	46	288.8	68
MAY 3		53128	-10.6	46	299.2	57
MAY 4		53129	-13.5	46	297.9	73
MAY 5		53130	-13.8	19	301.5	72
MAY 6		53131	-14.6	31	301.7	46
MAY 7		53132	-15.8	46	305.7	56
MAY 8		53133	-14.1	46	324.4	59
MAY 9		53134	-12.0	46	317.1	64
MAY 10		53135	-9.7	46	318.9	51
MAY 11		53136	-10.0	45	310.6	62
MAY 12		53137	-12.7	46	305.0	73
MAY 13		53138	-14.5	45	313.5	67
MAY 14		53139	-13.5	44	322.6	65
MAY 15		53140	-14.7	45	317.7	71
MAY 16		53141	-13.9	45	320.3	60
MAY 17		53142	-12.4	45	310.9	65
MAY 18		53143	-13.5	45	311.4	55
MAY 19		53144	-14.7	44	317.0	59
MAY 20		53145	-16.5	42	299.9	63
MAY 21		53146	-15.2	11	300.4	67
MAY 22		53147	-12.5	43	286.2	69
MAY 23		53148	-12.5	44	278.8	78
MAY 24		53149	-13.1	44	276.2	48
MAY 25		53150	-16.8	45	265.8	28
MAY 26		53151	-17.1	45	255.4	31
MAY 27		53152	-16.5	44	272.8	33
MAY 28		53153	-14.9	44	279.5	13
MAY 29		53154	-13.6	46	271.8	9

6 - Time links used for the computation of TAI and their uncertainties.

The time links used in the elaboration of this *Circular T* are listed in this section. The technique for the link is indicated as follows: GPS SC for GPS common-view single-channel C/A data; GPS MC for GPS common-view multi-channel C/A data; GPS P3 for GPS common-view multi-channel dual-frequency P code data; GPS GT for 'GPS time' observations; INT LK for internal cable link and TWSTFT for two-way satellite time and frequency transfer data.

For each link, the following uncertainties are provided: u_A is the statistical uncertainty evaluated by taking into account the level of phase noise in the raw data, the interpolation interval between data points and the effects with typical duration between 5 and 30 days. u_B is the uncertainty on the calibration, estimated by the BIPM.

The calibration type of the link is indicated as: GPS EC for GPS equipment calibration; TW EC for two-way equipment calibration; LC (technique) for a link calibrated using 'technique'; BC (technique) for a link calibrated using 'technique' to transfer a past equipment calibration through a discontinuity of link operation.

The calibration dates indicate: the most recent calibration results for the two laboratories in the case of EC and the most recent calibration of the link in the case of LC and BC, NA stands for not available, in this case estimated values are provided

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
AOS /PTB	GPS MC	1.5	5.0	GPS EC /GPS EC	2003 Sep/2003 Aug
APL /USNO	GPS MC	1.5	5.0	GPS EC /GPS EC	2003 Dec/2003 Dec
AUS /NICT	GPS MC	3.0	5.0	GPS EC/GPS EC	2002 Sep/2003 Nov
BEV /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Dec/2003 Aug
BIRM/NICT	GPS MC	2.5	20.0	NA /GPS EC	NA /2003 Nov
CAO /PTB	GPS SC	7.0	20.0	NA /GPS EC	NA /2003 Aug
CH /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2001 Feb/2003 Aug
CNM /NIST	GPS SC	5.0	20.0	NA /GPS EC	NA /2003 Dec
CNMP/USNO	GPS MC	4.0	7.0	GPS EC/GPS EC	2002 Oct/2003 Dec
CSIR/PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2003 Aug
DLR /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Apr/2003 Aug
DTAG/PTB	GPS SC	3.0	10.0	GPS EC/GPS EC	1998 May/2003 Aug
HKO /NICT	GPS MC	3.0	5.0	GPS EC/GPS EC	2004 Apr/2003 Nov
IEN /PTB	TWSTFT	1.0	1.0	LC (TWSTFT)	2003 Jun
IFAG/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Jun/2003 Aug
IGMA/NIST	GPS GT	5.0	20.0	NA /GPS EC	NA /2003 Dec
INPL/PTB	GPS SC	4.0	10.0	GPS EC/GPS EC	1987 Jun/2003 Jun
JATC/NTSC	INT LK	0.2	20.0	NA	NA
JV /PTB	GPS GT	5.0	20.0	NA /GPS EC	NA /2003 Aug
KRIS/NICT	GPS MC	2.5	5.0	GPS EC/GPS EC	2003 Oct/2003 Nov

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
LDS /PTB	GPS SC	3.0	20.0	NA /GPS EC	NA /2003 Aug
LT /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Nov/2003 Aug
MSL /NICT	GPS MC	3.0	20.0	NA /GPS EC	NA /2003 Nov
NAO /NICT	GPS SC	3.0	20.0	NA /GPS EC	NA /2003 Nov
NICT/PTB	GPS MC	2.0	5.0	GPS EC/GPS EC	2003 Nov/2003 Aug
NIM /NICT	GPS SC	3.0	20.0	NA /GPS EC	NA /2003 Nov
NIMB/PTB	GPS SC	15.0	20.0	NA /GPS EC	NA /2003 Aug
NIMT/NICT	GPS MC	3.0	20.0	NA /GPS EC	NA /2003 Nov
NIS /PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2003 Aug
NIST/PTB	TWSTFT	0.5	5.0	LC(GPS SC)	2003 Sep
NMC /PTB	GPS GT	5.0	20.0	NA /GPS EC	NA /2003 Aug
NMIJ/NICT	TWSTFT	1.5	5.0	LC(GPS SC)	2001 Oct
NMLS/NICT	GPS MC	3.0	20.0	NA /GPS EC	NA /2003 Nov
NPL /PTB	TWSTFT	0.5	5.0	LC(GPS SC)	1999 Nov
NPLI/PTB	GPS SC	3.0	20.0	NA /GPS EC	NA /2003 Aug
NRC /USNO	GPS SC	3.0	15.0	GPS EC/GPS EC	1982 /2003 Dec
NTSC/NICT	TWSTFT	1.5	5.0	LC(GPS SC)	2001 Oct
OMH /PTB	GPS SC	2.5	20.0	NA /GPS EC	NA /2003 Aug
ONBA/USNO	GPS MC	5.0	7.0	GPS EC/GPS EC	2000 Oct/2003 Dec
ONRJ/NIST	GPS SC	5.0	20.0	NA /GPS EC	NA /2003 Dec
OP /PTB	GPS SC	2.5	5.0	GPS EC/GPS EC	2004 Jan/2003 Aug
ORB /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Jul/2003 Aug
PL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Oct/2003 Aug
ROA /PTB	TWSTFT	1.0	5.0	LC(GPS SC)	2001 Dec
SCL /NICT	GPS SC	4.0	10.0	GPS EC/GPS EC	1993 May/2003 Nov
SG /NICT	GPS MC	3.0	20.0	NA /GPS EC	NA /2003 Nov
SMU /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2003 Aug
SP /PTB	GPS SC	3.0	10.0	GPS EC/GPS EC	1997 Oct/2003 Aug
SU /PTB	GPS SC	3.0	5.0	GPS EC/GPS EC	2003 Apr/2003 Aug
TCC /NIST	GPS SC	5.0	20.0	NA /GPS EC	NA /2003 Dec
TL /NICT	TWSTFT	1.5	5.0	LC(GPS SC)	2001 Oct
TP /PTB	GPS SC	2.5	5.0	GPS EC/GPS EC	2001 Oct/2003 Aug
UME /PTB	GPS SC	15.0	20.0	NA /GPS EC	NA /2003 Aug
USNO/PTB	TWSTFT	0.5	3.0	BC(GPS P3)	2003 Sep
VSL /PTB	TWSTFT	1.0	5.0	LC(GPS SC)	1999 Dec