

BUREAU INTERNATIONAL DES POIDS ET MESURES
ORGANISATION INTERGOUVERNEMENTALE DE LA CONVENTION DU METRE

PAVILLON DE BRETEUIL F-92312 SEVRES CEDEX TEL. +33 1 45 07 70 70 FAX. +33 1 45 34 20 21 tai@bipm.org

1 - Coordinated Universal Time UTC and its local realizations UTC(k). Computed values of $[UTC-UTC(k)]$ and uncertainties valid for the period of this Circular. From 2006 January 1, 0h UTC, $TAI-UTC = 33$ s.

Date 2006 0h UTC MJD	NOV 30 54069	DEC 5 54074	DEC 10 54079	DEC 15 54084	DEC 20 54089	DEC 25 54094	DEC 30 54099	Uncertainty/ns			Notes
Laboratory k	$[UTC-UTC(k)]/ns$							u_A	u_B	u	
AOS (Borowiec)	-9.2	4.0	7.8	-7.4	-24.5	-3.8	-17.6	1.5	5.1	5.3	
APL (Laurel)	12.4	13.6	10.6	3.2	-4.4	-17.8	-9.5	1.5	5.0	5.2	
AUS (Sydney)	-177.7	-174.2	-155.3	-158.5	-151.0	-142.5	-128.5	1.5	5.1	5.3	
BEV (Wien)	-8.9	-9.3	-7.5	-12.0	-8.5	-10.1	-2.2	2.0	5.1	5.4	
BIRM (Beijing)	-2413.8	-2428.9	-2457.6	-2470.4	-2498.3	-2508.1	-2528.0	3.5	20.0	20.3	
CAO (Cagliari)	-857.7	-865.0	-873.4	-887.5	-891.0	-888.2	-896.5	1.5	7.1	7.2	
CH (Bern)	-23.3	-24.5	-20.2	-25.2	-34.8	-48.4	-56.0	0.7	5.1	5.1	
CNM (Queretaro)	-5.5	-10.6	-14.9	-13.2	-12.2	-11.4	-7.9	5.0	5.1	7.1	
CNMP (Panama)	-2910.2	-1976.0	-1007.7	-75.1	-49.7	-64.1	-53.7	3.0	5.1	5.9	
CSIR (Pretoria)	-2174.8	-2222.6	-2281.9	-	-	-	-	2.5	20.0	20.2	
DLR (Oberpfaffenhofen)	-	-	-	-	-	-	-	-	-	-	
DTAG (Darmstadt)	-	-	-	-	-	-	-	-	-	-	
HKO (Hong Kong)	-17.7	-25.5	-26.8	-28.0	-	-	-24.1	2.5	5.1	5.7	
IFAG (Wetzell)	-376.8	-372.8	-377.4	-377.3	-378.0	-376.7	-367.3	0.7	5.1	5.1	
IGMA (Buenos Aires)	756.7	756.5	760.6	770.6	764.5	770.4	771.1	2.5	5.1	5.7	
INPL (Jerusalem)	177.8	175.5	174.7	181.0	190.7	189.6	186.8	5.0	10.0	11.2	
IT (Torino)	2.4	5.3	8.9	12.1	19.9	17.7	11.5	0.6	1.5	1.6	(1)
JATC (Lintong)	9.7	6.3	3.3	3.5	-1.2	-5.9	-11.1	1.5	5.0	5.2	
JV (Kjeller)	-1857.8	-1760.6	-1706.0	-1656.3	-1582.4	-1491.7	-1423.9	5.0	20.0	20.6	
KRIS (Daejeon)	-13.4	-4.7	-10.5	-12.7	-11.2	-18.7	-15.8	0.7	5.1	5.2	
LDS (Leeds)	1053.2	1086.6	1124.6	1147.0	1183.2	1214.0	1233.1	3.0	20.0	20.3	
LT (Vilnius)	65.1	73.1	77.9	92.6	96.7	77.5	80.3	1.5	5.1	5.3	
MIKE (Espoo)	-62.8	-47.0	-51.3	-40.8	-34.9	-48.4	-54.5	5.0	19.8	20.5	
MSL (Lower Hutt)	-10.9	-25.7	-30.0	-41.1	-61.5	-62.0	-	1.0	20.0	20.1	
NAO (Mizusawa)	230.9	234.3	233.8	231.2	224.7	221.5	219.5	3.0	20.0	20.3	
NICT (Tokyo)	-6.0	-5.3	-7.4	-8.3	-7.8	-8.2	-7.7	0.7	4.8	4.9	
NIM (Beijing)	-50.8	-46.3	-48.8	-50.6	-44.9	-50.7	-53.9	1.5	19.8	19.9	
NIMB (Bucharest)	-369.8	-361.1	-377.3	-381.6	-402.2	-413.9	-430.9	2.5	20.0	20.2	
NIMT (Bangkok)	-1178.4	-1188.2	-1208.4	-1209.8	-1207.9	-1211.8	-1210.5	1.0	20.0	20.1	
NIS (Cairo)	159.7	94.4	47.7	26.8	18.8	11.0	3.1	2.5	7.1	7.5	

Date 2006 0h UTC MJD Laboratory <i>k</i>	NOV 30 54069	DEC 5 54074	DEC 10 54079	DEC 15 54084	DEC 20 54089	DEC 25 54094	DEC 30 54099	Uncertainty/ns			Notes
				[UTC-UTC(<i>k</i>)]/ns				<i>u_A</i>	<i>u_B</i>	<i>u</i>	
NIST (Boulder)	11.6	12.4	14.5	16.2	15.5	14.6	15.9	0.5	4.8	4.9	
NMC (Sofiya)	-4902.9	-4902.4	-4901.5	-4925.0	-4942.3	-4944.5	-4983.2	5.0	20.0	20.6	
NMIJ (Tsukuba)	-1.2	-0.4	4.2	14.1	27.0	36.6	41.0	0.7	5.1	5.1	
NMLS (Sepang)	-612.5	-620.9	-634.9	-644.8	-657.7	-673.4	-682.8	2.0	20.0	20.1	
NPL (Teddington)	10.4	16.7	18.3	21.6	23.8	21.1	20.3	0.6	5.1	5.1	
NPLI (New-Delhi)	43.8	56.7	67.8	84.9	104.9	110.1	123.8	4.0	7.1	8.1	
NRC (Ottawa)	43.6	23.3	-16.3	-36.2	-40.1	-45.8	-58.1	0.7	5.1	5.2	(2)
NTSC (Lintong)	9.1	10.4	11.9	13.9	13.2	12.1	3.8	1.4	4.9	5.1	
OMH (Budapest)	11645.0	11662.9	11671.2	11687.4	11694.1	11698.9	11717.6	2.5	20.0	20.2	
ONBA (Buenos Aires)	-12620.4	-12432.7	-12115.7	-11750.1	-11846.1	-11635.3	-11609.4	5.0	5.1	7.2	
ONRJ (Rio de Janeiro)	-20.6	-16.3	-10.3	-20.5	-17.9	-19.3	-19.0	4.0	20.0	20.4	
OP (Paris)	-28.5	-27.8	-24.9	-19.5	-20.4	-27.8	-23.3	0.5	1.4	1.5	
ORB (Bruxelles)	4.6	-4.9	-10.2	-16.3	-19.3	-20.0	-21.5	0.7	5.1	5.1	
PL (Warszawa)	10.2	4.7	-4.5	-8.0	-6.2	2.7	6.4	1.5	4.9	5.1	
PTB (Braunschweig)	9.2	8.8	7.8	8.4	5.6	1.9	-0.9	0.3	1.1	1.1	
ROA (San Fernando)	-8.9	-10.3	-8.0	-17.1	-17.3	-24.0	-25.1	0.7	5.1	5.1	
SCL (Hong Kong)	-32.0	-28.2	-17.4	-17.7	-12.5	-10.8	-14.2	4.0	9.9	10.7	
SG (Singapore)	42.1	41.7	39.1	42.0	52.1	53.0	65.5	2.0	5.1	5.5	
SMU (Bratislava)	-115.9	-126.4	-129.2	-142.1	-143.7	-144.4	-140.3	5.0	20.0	20.6	
SP (Boras)	17.1	18.7	21.4	20.0	11.9	2.5	-3.5	0.5	1.4	1.5	
SU (Moskva)	-8.0	-8.3	-9.5	-7.2	-9.4	-8.1	-7.1	3.0	5.1	5.9	
TCC (Concepcion)	-3535.5	-3550.8	-3582.4	-3596.8	-3596.1	-3635.9	-3647.8	1.5	19.9	20.0	
TL (Chung-Li)	-2.7	-2.2	-1.4	0.1	2.0	-1.0	-2.0	0.7	4.9	5.0	
TP (Praha)	-26.8	-28.9	-26.3	-23.7	-19.3	-21.8	-28.7	1.5	5.1	5.3	
UME (Gebze-Kocaeli)	1.3	1.6	-1.5	3.3	2.0	1.8	9.7	1.5	7.1	7.2	
USNO (Washington DC)	4.1	0.9	0.1	-1.1	-2.3	-4.5	-4.9	0.3	1.3	1.4	
VSL (Delft)	-49.0	-43.0	-44.2	-41.9	-45.7	-52.1	-47.8	0.6	1.5	1.6	
ZMDM (Belgrade)	4127.5	4159.1	-26.4	-6.7	23.6	43.3	67.7	2.0	7.1	7.4	(3)

- Notes on section 1:

(1) IT : Change of master clock on MJD 54090.56.

(2) NRC : Change of master clock on MJD 54070.65.

(3) ZMDM : Apparent time step of [UTC-UTC(ZMDM)] of about -4250 ns between MJD 54074 and 54079.

2 - International Atomic Time TAI and Local atomic time scales TA(k). Computed values of $[TAI-TA(k)]$.

Date 2006 0h UTC MJD Laboratory <i>k</i>	NOV 30 54069	DEC 5 54074	DEC 10 54079	DEC 15 54084	DEC 20 54089	DEC 25 54094	DEC 30 54099	
	$[TAI-TA(k)]/ns$							
CH (Bern)	53702.2	53714.1	53731.5	53739.5	53743.0	53742.5	53748.0	
F (Paris)	168335.7	168333.1	168332.8	168332.5	168331.9	168330.9	168332.1	
IT (Torino)	58489.7	58619.5	58747.5	58878.8	59009.7	59138.1	59270.8	
JATC (Lintong)	-41116.9	-41152.8	-41187.8	-41219.4	-41252.8	-41287.4	-41322.1	
KRIS (Daejeon)	14648.7	14729.9	14797.7	14869.4	14944.3	15011.2	15087.7	
NICT (Tokyo)	-0.2	0.8	-1.0	-3.1	-2.1	-2.9	-2.4	
NIST (Boulder)	-45300253.5	-45300446.7	-45300638.6	-45300830.9	-45301024.1	-45301217.5	-45301408.7	
NRC (Ottawa)	30227.6	30236.1	30243.5	30250.5	30259.9	30262.3	30280.0	
NTSC (Lintong)	3737.0	3760.5	3782.6	3808.0	3831.8	3854.6	3875.1	
ONRJ (Rio de Janeiro)	-1048.8	-1062.1	-1077.2	-1093.3	-1103.4	-1118.4	-1133.7	
PL (Warszawa)	-4002.7	-4010.2	-4022.3	-4029.1	-4039.9	-4048.3	-4054.1	
PTB (Braunschweig)	-357970.4	-357963.4	-357956.8	-357948.5	-357944.3	-357940.5	-357935.8	
SU (Moskva)	27242961.2	27242984.7	27243007.2	27243033.3	27243054.9	27243079.9	27243104.7	(1)
TL (Chung-Li)	535.9	540.4	541.0	543.5	546.5	547.2	552.0	
USNO (Washington DC)	-34988561.0	-34988869.3	-34989173.1	-34989477.6	-34989781.4	-34990087.8	-34990392.0	

- Note on section 2:

(1) SU : Listed values are $TAI-TA(SU)$ - 2.80 seconds.

3 - Difference between the normalized frequencies of EAL (free atomic time scale) and TAI.

	Interval of validity	$f(EAL)-f(TAI)$	
Steering correction	54069 - 54099	6.812×10^{-13}	(2006 NOV 30 - 2006 DEC 30)
New correction	54099 - 54129	6.806×10^{-13}	(2006 DEC 30 - 2007 JAN 29)
New correction foreseen	54129 - 54159	6.802×10^{-13}	(2007 JAN 29 - 2007 FEB 28)

4 - Duration of the TAI scale interval.

TAI is a realization of coordinate time TT. The following tables give the fractional deviation d of the scale interval of TAI from that of TT (the SI second on the geoid), i.e. the fractional frequency deviation of TAI with the opposite sign: $d = -y_{TAI}$. In this section, a frequency over a time interval is defined as the ratio of the end-point phase difference to the duration of the interval. Whenever needed, the instability of EAL should be expressed as the quadratic sum of three components with τ in days: (1) a white frequency noise of $3.0 \times 10^{-15} / \sqrt{\tau}$, (2) a flicker frequency noise of 0.5×10^{-15} and (3) a random walk frequency noise of $1.0 \times 10^{-16} \times \sqrt{\tau}$. The relation between EAL and TAI is given in *Circular T* and the *Annual Report of the BIPM Time Section*.

In the first table, d is obtained, on the given periods of estimation by comparison of the TAI frequency with that of the given individual Primary Frequency Standards (PFS). In this table: u_A is the uncertainty originating in the instability of the PFS, u_B is the combined uncertainty from systematic effects, $Ref(u_B)$ is a reference giving information on the stated value of u_B or is the *Circular T* where this reference was first given, $u_{1/Lab}$ is the uncertainty in the link between the PFS and the clock participating to TAI, including the uncertainty due to the dead-time, $u_{1/TAI}$ is the uncertainty in the link to TAI, u is the quadratic sum of all four uncertainty values. All values are expressed in 10^{-15} .

Standard	Period of Estimation	d	u_A	u_B	Ref(u_B)	$u_{1/Lab}$	$u_{1/TAI}$	u	Note
SYRTE-F02	54069 54079	1.5	0.1	0.4	T227	0.1	0.9	1.0	(1)
SYRTE-F02	54089 54094	3.1	0.7	0.4	T227	0.2	1.6	1.8	(1)
SYRTE-F01	54084 54099	0.6	0.5	0.4	T227	0.3	0.6	0.9	(1)
SYRTE-F0M	54054 54069	-0.1	0.5	1.2	T183	0.2	0.6	1.5	(1)
SYRTE-JPO	54069 54099	12.7	0.7	6.3	T160	0.3	0.3	6.4	(2)
PTB-CSF1	54079 54094	3.8	1.0	1.1	T162	0.1	0.4	1.5	(3)
IT-CSF1	54064 54084	-0.1	1.1	0.5	[1]	0.5	0.6	1.4	(4)
PTB-CS1	54069 54099	-3.6	5.0	8.0	T148	0.0	0.2	9.4	(5)
PTB-CS2	54069 54099	3.6	3.0	12.0	T148	0.0	0.2	12.4	(5)

Notes:

- (1) Report 10 Jan. 2007 by LNE-SYRTE.
- (2) Report 9 Jan. 2007 by LNE-SYRTE.
- (3) Report 5 Jan. 2007 by PTB.
- (4) Report 4 Jan. 2007 by INRiM.
- (5) Continuously operating as a clock participating to TAI.

Reference:

[1] F. Levi et al., *Metrologia* 43, 6, 545-555, 2006.

The second table gives the BIPM estimate of d , based on all available PFS measurements over the period MJD 53709-54099, taking into account their individual uncertainties and characterizing the instability of EAL as noted above. u is the computed standard uncertainty of d

Period of estimation	d	u	
54069-54099	1.4×10^{-15}	0.5×10^{-15}	(2006 NOV 30 - 2006 DEC 30)

5 - Relations of UTC and TAI with GPS time and GLONASS time.

$$\begin{aligned}
 [UTC-GPS\ time] &= -14\ s + C_0, & [TAI-GPS\ time] &= 19\ s + C_0, & \text{global uncertainty is of order 10 ns.} \\
 [UTC-GLONASS\ time] &= 0\ s + C_1, & [TAI-GLONASS\ time] &= 33\ s + C_1, & \text{global uncertainty is of order hundreds ns.}
 \end{aligned}$$

The C_0 values are obtained using the values $[UTC-UTC(OP)]$ and the GPS data taken at the Paris Observatory, corrected for IGS precise orbits, clocks and ionosphere maps. The C_1 values are obtained using the values $[UTC-UTC(AOS)]$ and the GLONASS data taken at the Astrogeodynamical Observatory Borowiec (AOS). N_0 and N_1 are the numbers of measurements, when N_0 or N_1 is 0, the corresponding values of C_0 or C_1 are interpolated.

The standard deviations σ_0 and σ_1 characterize the dispersion of individual measurements. The actual uncertainty of user's access to GPS and GLONASS times may differ from these values.

For this circular, $\sigma_0 = 2.4\ ns$, $\sigma_1 = 12.6\ ns$

Date 2006 0h UTC	MJD	C_0 /ns	N_0	C_1 /ns	N_1
NOV 30	54069	-3.4	46	-413.4	69
DEC 1	54070	-4.2	46	-420.3	88
DEC 2	54071	-4.3	46	-414.5	75
DEC 3	54072	-5.5	46	-400.1	76
DEC 4	54073	-5.0	46	-392.0	70
DEC 5	54074	-2.1	46	-395.4	55
DEC 6	54075	-2.8	46	-412.6	73
DEC 7	54076	-2.9	47	-415.4	84
DEC 8	54077	-4.4	45	-416.8	81
DEC 9	54078	-5.6	45	-416.1	78
DEC 10	54079	-4.6	45	-405.9	79
DEC 11	54080	-5.3	47	-393.0	89
DEC 12	54081	-5.0	46	-395.9	71
DEC 13	54082	-5.2	46	-412.1	86
DEC 14	54083	-5.1	45	-422.1	77
DEC 15	54084	-5.9	46	-415.2	90
DEC 16	54085	-5.7	46	-398.9	89
DEC 17	54086	-4.8	46	-387.5	89
DEC 18	54087	-4.0	46	-392.0	89
DEC 19	54088	-2.4	43	-401.2	82
DEC 20	54089	-3.2	46	-401.1	79
DEC 21	54090	-6.3	46	-401.2	62
DEC 22	54091	-9.5	46	-417.8	65
DEC 23	54092	-9.2	47	-449.6	87
DEC 24	54093	-7.9	46	-458.8	89
DEC 25	54094	-9.2	45	-454.1	79
DEC 26	54095	-10.8	46	-449.3	83
DEC 27	54096	-11.3	47	-444.2	90
DEC 28	54097	-9.1	43	-455.1	88
DEC 29	54098	-9.6	43	-462.5	83
DEC 30	54099	-9.9	43	-461.8	72

6 - Time links used for the computation of TAI and their uncertainties.

The time links used in the elaboration of this *Circular T* are listed in this section. The technique for the link is indicated as follows: GPS SC for GPS all-in-view single-channel C/A data; GPS MC for GPS all-in-view multi-channel C/A data; GPS P3 for GPS all-in-view multi-channel dual-frequency P code data; GPS GT for 'GPS time' observations; INT LK for internal cable link and TWSTFT for two-way satellite time and frequency transfer data.

For each link, the following uncertainties are provided: u_A is the statistical uncertainty evaluated by taking into account the level of phase noise in the raw data, the interpolation interval between data points and the effects with typical duration between 5 and 30 days. u_B is the estimated uncertainty on the calibration.

The calibration type of the link is indicated as: GPS EC for GPS equipment calibration; TW EC for two-way equipment calibration; LC (technique) for a link calibrated using 'technique'; BC (technique) for a link calibrated using 'technique' to transfer a past equipment calibration through a discontinuity of link operation ; DIC is used for direct internal calibration.

The calibration dates indicate: the most recent calibration results for the two laboratories in the case of EC and the most recent calibration of the link in the case of LC and BC, NA stands for not available, in this case estimated values are provided

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
AOS /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2003 Sep/2004 Jul
APL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2003 Dec/2004 Jul
AUS /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Nov/2004 Jul
BEV /PTB	GPS MC	2.0	5.0	GPS EC/GPS EC	2001 Dec/2004 Jul
BIRM/PTB	GPS SC	3.5	20.0	NA /GPS EC	NA /2004 Jul
CAO /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2004 Nov/2004 Jul
CH /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2004 Nov/2004 Aug
CNM /PTB	GPS SC	5.0	5.0	GPS EC/GPS EC	2005 Nov/2004 Jul
CNMP/PTB	GPS MC	3.0	5.0	GPS EC/GPS EC	2004 May/2004 Jul
CSIR/PTB	GPS MC	2.5	20.0	NA /GPS EC	NA /2004 Jul
DLR /PTB	NA				
DTAG/PTB	NA				
HKO /PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Sep/2004 Jul
IFAG/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Jun/2004 Aug
IGMA/PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Aug/2004 Jul
INPL/PTB	GPS SC	5.0	10.0	GPS EC/GPS EC	1987 Jun/2004 Jul
IT /PTB	TWSTFT	0.5	1.0	LC(TWSTFT)	2005 Nov
JATC/NTSC	INT LK	0.2	1.0	DIC	2006 Sep
JV /PTB	GPS GT	5.0	20.0	NA /GPS EC	NA /2003 Aug
KRIS/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 Aug/2004 Aug

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
LDS /PTB	GPS SC	3.0	20.0	NA /GPS EC	NA /2004 Jul
LT /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Nov/2004 Jul
MIKE/PTB	GPS MC	5.0	20.0	NA /GPS EC	NA /2004 Jul
MSL /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NAO /PTB	GPS SC	3.0	20.0	NA /GPS EC	NA /2004 Jul
NICT/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 Jun/2004 Aug
NIM /PTB	GPS MC	1.5	20.0	NA /GPS EC	NA /2004 Jul
NIMB/PTB	GPS MC	2.5	20.0	NA /GPS EC	NA /2004 Jul
NIMT/PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NIS /PTB	GPS MC	2.5	7.0	GPS EC/GPS EC	2005 May/2004 Jul
NIST/PTB	TWSTFT	0.5	5.0	BC(GPS P3)	2005 May
NMC /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2004 Jul
NMIJ/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2002 Apr/2004 Aug
NMLS/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
NPL /PTB	TWSTFT	0.5	5.0	LC(GPS MC)	2006 Dec
NPLI/PTB	GPS MC	4.0	7.0	GPS EC/GPS EC	2005 Jul/2004 Jul
NRC /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Nov/2004 Aug
NTSC/PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Sep/2004 Jul
OMH /PTB	GPS SC	2.5	20.0	NA /GPS EC	NA /2004 Jul
ONBA/PTB	GPS MC	5.0	5.0	GPS EC/GPS EC	2004 Jul/2004 Jul
ONRJ/PTB	GPS MC	4.0	20.0	NA /GPS EC	NA /2004 Jul
OP /PTB	TWSTFT	0.5	1.0	LC(TWSTFT)	2005 Nov
ORB /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Jul/2004 Aug
PL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Oct/2004 Jul
ROA /PTB	TWSTFT	0.7	5.0	BC(GPS P3)	2005 May
SCL /PTB	GPS SC	4.0	10.0	GPS EC/GPS EC	1993 May/2004 Jul
SG /PTB	GPS MC	2.0	5.0	GPS EC/GPS EC	2004 Nov/2004 Jul
SMU /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2004 Jul
SP /PTB	TWSTFT	0.5	1.0	LC(TWSTFT)	2005 Nov
SU /PTB	GPS SC	3.0	5.0	GPS EC/GPS EC	2003 Apr/2004 Jul
TCC /PTB	GPS P3	1.5	20.0	NA /GPS EC	NA /2004 Aug
TL /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 May/2004 Aug
TP /PTB	GPS MC	1.5	5.0	LC(GPS SC)	2004 Jul
UME /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2005 Dec/2004 Jul
USNO/PTB	TWSTFT	0.5	2.0	BC(TW X-Band)	2005 May
VSL /PTB	TWSTFT	0.5	1.0	LC(TWSTFT)	2005 Nov
ZMDM/PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2005 Mar/2004 Jul