

BUREAU INTERNATIONAL DES POIDS ET MESURES
ORGANISATION INTERGOUVERNEMENTALE DE LA CONVENTION DU METRE
PAVILLON DE BRETEUIL F-92312 SEVRES CEDEX TEL. +33 1 45 07 70 70 FAX. +33 1 45 34 20 21 tai@bipm.org

1 - Coordinated Universal Time UTC and its local realizations UTC(k). Computed values of $[UTC-UTC(k)]$ and uncertainties valid for the period of this Circular.
From 2006 January 1, 0h UTC, $TAI-UTC = 33$ s. From 2009 January 1, 0h UTC, $TAI-UTC = 34$ s.

Date 2008	0h UTC	JUL 27	AUG 1	AUG 6	AUG 11	AUG 16	AUG 21	AUG 26	AUG 31	Uncertainty/ns			Notes
MJD		54674	54679	54684	54689	54694	54699	54704	54709	u_A	u_B	u	
Laboratory k		$[UTC-UTC(k)]/ns$											
AOS (Borowiec)		8.3	5.3	-1.3	-3.9	-3.2	-2.4	-1.2	-0.6	0.6	5.1	5.1	
APL (Laurel)		-6.7	-3.5	7.2	11.5	18.8	15.6	5.1	-2.5	1.5	5.0	5.3	
AUS (Sydney)		228.3	238.1	249.0	261.6	272.6	291.3	307.1	322.4	1.5	5.1	5.3	
BEV (Wien)		41.8	45.4	49.2	55.7	59.9	11.5	8.6	6.9	1.5	2.3	2.7	(1)
BIM (Sofiya)		-6587.6	-6597.3	-6614.1	-6623.9	-6651.2	-6666.8	-6668.2	-6689.3	2.0	7.1	7.4	
BIRM (Beijing)		-5755.7	-5799.8	-5832.9	-5876.2	-5905.4	-5938.9	-5966.0	-5999.2	2.0	20.0	20.1	
BY (Minsk)		266.6	299.8	327.4	364.9	403.4	437.5	474.4	240.5	7.0	20.0	21.2	(2)
CAO (Cagliari)		-2139.4	-2154.3	-2158.6	-2160.6	-	-	-2178.2	-2206.5	1.5	7.1	7.2	
CH (Bern)		-0.1	-3.4	-5.9	-8.0	-9.1	-9.1	-7.7	-3.6	0.6	1.4	1.6	
CNM (Queretaro)		-12.2	-10.4	-7.8	-13.8	-10.9	-11.6	-4.6	-7.3	2.5	5.1	5.7	
CNMP (Panama)		305.9	312.2	338.0	357.0	353.2	308.3	282.4	228.1	3.0	5.1	5.9	
DLR (Oberpfaffenhofen)		-1.8	1.6	-2.9	-6.0	-3.6	5.4	-	-	0.7	5.1	5.2	
DTAG (Frankfurt/M)		75.5	65.3	50.2	45.0	44.4	32.8	31.2	29.1	4.0	10.0	10.8	
EIM (Thessaloniki)		-	-	-	-	-	-	-4.9	-0.6	3.0	20.0	20.3	
HKO (Hong Kong)		-60.1	-58.5	-63.9	-69.9	-65.7	-65.1	-63.9	-59.8	2.5	5.1	5.7	
IFAG (Wetzell)		-213.3	-206.3	-200.8	-195.1	-185.0	-179.0	-174.6	-180.7	2.5	5.1	5.7	
IGMA (Buenos Aires)		-	-	-	-	-	-	-	-	-	-	-	
INPL (Jerusalem)		-	-	-	-	-	-	-	-	-	-	-	
IT (Torino)		10.8	12.1	10.5	10.5	12.5	12.1	12.7	12.8	0.6	1.4	1.5	
JATC (Lintong)		14.6	10.7	-1.2	3.5	4.2	7.4	9.6	9.2	1.4	4.8	5.0	
JV (Kjeller)		10379.5	10515.2	10671.1	10821.0	10917.8	10995.0	11158.9	11297.1	5.0	20.0	20.6	
KIM (Serpong-Tangerang)		-236.4	-249.9	-259.0	-263.1	-251.9	-241.7	-212.8	-206.4	3.0	20.0	20.2	
KRIS (Daejeon)		-5.5	-1.0	-4.8	-11.8	-2.7	-2.3	-4.7	25.5	1.5	5.0	5.3	
LDS (Leeds)		-	-	-	-	-	-	-	-	-	-	-	
LT (Vilnius)		425.0	425.6	439.0	451.7	452.9	474.1	491.5	512.3	1.5	5.1	5.3	
LV (Riga)		1892.6	1917.6	1938.7	1963.0	1991.0	2013.3	2028.0	2049.9	2.0	7.1	7.4	
MIKE (Espoo)		-125.2	-128.9	-129.3	-133.6	-127.4	-128.3	-115.5	-120.2	5.0	19.9	20.5	
MKEH (Budapest)		-8220.7	-8425.1	-8644.0	-8868.0	-9080.2	-9294.4	-9509.4	-9730.4	2.5	20.0	20.2	
MSL (Lower Hutt)		-420.8	-442.2	-508.3	-557.4	-596.0	-656.8	-727.0	-771.7	1.0	20.0	20.0	
NAO (Mizusawa)		-	-	-	-	-	-	-	-	-	-	-	

Date 2008	0h UTC	JUL 27	AUG 1	AUG 6	AUG 11	AUG 16	AUG 21	AUG 26	AUG 31	Uncertainty/ns			Notes
MJD		54674	54679	54684	54689	54694	54699	54704	54709	u_A	u_B	u	
Laboratory k		[UTC-UTC(k)]/ns											
NICT (Tokyo)		10.3	9.9	6.1	4.1	-1.3	-3.8	-6.0	-6.0	0.7	4.5	4.6	
NIM (Beijing)		54.3	46.9	44.8	46.1	57.2	62.4	-29.1	-46.6	1.5	20.0	20.1	(3)
NIMB (Bucharest)		-214.0	-210.3	-190.0	-190.0	-185.2	-182.6	-191.8	-180.1	2.0	20.0	20.1	
NIMT (Bangkok)		473.3	471.9	467.9	462.1	456.1	446.1	440.3	432.6	1.0	20.0	20.1	
NIS (Cairo)		19.9	11.0	6.7	5.3	1.3	-0.1	-	-	1.5	7.1	7.2	
NIST (Boulder)		3.0	3.0	1.6	1.3	1.3	0.9	0.0	-1.4	0.5	4.8	4.9	
NMIJ (Tsukuba)		11.1	5.3	-0.3	-4.0	-4.7	-8.3	-6.1	-0.3	0.7	5.0	5.1	
NMLS (Sepang)		-105.6	-101.5	-	513.9	506.9	510.9	507.2	494.8	2.0	20.0	20.1	(4)
NPL (Teddington)		-12.8	-12.5	-21.5	-24.6	-28.3	-31.3	-38.2	-38.4	1.5	5.0	5.2	
NPLI (New-Delhi)		-34.9	-25.6	-25.3	-35.4	-28.6	-31.7	-30.3	-32.1	2.5	7.1	7.5	
NRC (Ottawa)		64.6	63.7	60.8	58.7	58.3	57.8	56.9	57.2	0.7	5.1	5.1	(5)
NRL (Washington DC)		5.7	2.1	-1.6	-3.3	-4.5	-4.9	-3.3	-1.2	0.7	5.1	5.2	
NTSC (Lintong)		15.2	14.7	6.2	2.7	1.3	-6.5	-5.5	-9.6	1.4	4.7	4.9	
ONBA (Buenos Aires)		-1139.3	-1157.1	-1174.2	-1183.4	-1198.4	-	-1271.1	-1275.7	2.5	5.1	5.7	
ONRJ (Rio de Janeiro)		-5.5	-20.5	-2.6	-9.3	-16.8	-22.1	-14.8	-8.0	3.9	19.5	19.9	
OP (Paris)		-16.0	-18.5	-20.1	-16.9	-11.3	-8.1	-8.4	-5.8	0.5	1.4	1.5	
ORB (Bruxelles)		-27.1	-28.2	-27.5	-28.1	-24.6	-20.5	-14.5	-8.7	0.7	5.1	5.2	
PL (Warszawa)		27.2	22.1	18.7	8.0	-0.2	-1.2	-0.9	-19.5	1.5	4.9	5.1	
PTB (Braunschweig)		48.6	49.7	47.8	49.4	52.0	54.5	55.5	57.1	0.3	1.1	1.1	
ROA (San Fernando)		101.7	105.4	103.6	111.3	111.6	107.4	104.1	107.3	0.7	5.0	5.1	
SCL (Hong Kong)		-27.7	-30.8	-32.2	-23.0	-20.3	-20.7	-24.7	-18.4	3.0	9.9	10.4	
SG (Singapore)		13.8	9.2	6.2	9.7	8.5	15.0	15.1	8.3	3.0	5.1	5.9	
SIQ (Ljubljana)		35.7	47.3	66.2	74.3	97.3	102.9	109.4	14.9	5.0	20.0	20.6	(6)
SMU (Bratislava)		69.8	67.4	68.4	66.0	60.5	66.2	60.5	54.3	5.0	20.0	20.6	
SP (Boras)		40.9	46.7	52.4	53.0	53.2	48.0	44.7	41.2	0.7	1.8	1.9	
SU (Moskva)		-5.3	-6.7	-6.9	-7.6	-8.8	-7.8	-6.3	-4.5	3.0	5.1	5.9	
TCC (Concepcion)		-9339.1	-	-	-	-	-	-	-	-	-	-	
TL (Chung-Li)		7.7	4.6	1.8	-1.2	27.6	22.7	19.7	22.2	0.7	4.8	4.9	
TP (Praha)		57.2	53.0	49.8	47.0	46.7	36.3	23.8	13.0	0.9	5.1	5.2	
UA (Kharkov)		-89.3	-77.2	-71.0	-59.2	-48.2	-31.5	-10.5	0.8	2.5	6.1	6.6	
UME (Gebze-Kocaeli)		185.5	194.0	197.7	198.0	203.0	206.4	208.2	214.5	1.5	7.0	7.2	
USNO (Washington DC)		-0.3	-1.4	-2.5	-2.2	-1.4	-0.6	2.0	3.3	0.4	1.3	1.3	
VMI (Ha Noi)		-88.2	-86.2	-80.0	-78.3	-81.0	-82.8	-80.5	-80.9	1.0	20.0	20.0	
VSL (Delft)		56.7	33.3	22.3	18.0	1.3	-15.0	-27.4	-9.4	0.6	1.4	1.5	
ZA (Pretoria)		-	-	-	-	-	-	-	-	-	-	-	
ZMDM (Belgrade)		3465.0	3490.8	3508.5	3528.9	3572.2	3600.7	3624.8	3657.0	2.0	7.1	7.3	

- Notes on section 1:

- (1) BEV : Time step of UTC(BEV) of 50 ns on MJD 54696.60.
- (2) BY : Apparent time step of UTC(BY) of about 230 ns on MJD 54709.
- (3) NIM : Time step of UTC(NIM) of 100 ns on MJD 54700.03.
- (4) NMLS : Apparent time step of UTC(NMLS) of about -600 ns between MJD 54682 and 54685.
- (5) NRC : Change of master clock on MJD 54695.75.
- (6) SIQ : Apparent time step of UTC(SIQ) of about 100 ns on MJD 54709.

2 - International Atomic Time TAI and Local atomic time scales TA(k). Computed values of $[TAI-TA(k)]$.

Date 2008	0h UTC	JUL 27	AUG 1	AUG 6	AUG 11	AUG 16	AUG 21	AUG 26	AUG 31
MJD		54674	54679	54684	54689	54694	54699	54704	54709
Laboratory	<i>k</i>	$[TAI-TA(k)]/ns$							
CH	(Bern)	52361.8	52325.8	52287.7	52251.4	52216.9	52179.7	52143.1	52107.5
F	(Paris)	168195.1	168195.2	168194.4	168195.6	168192.8	168192.8	168191.9	168191.8
IT	(Torino)	74371.3	74508.8	74647.3	74787.1	74922.7	75056.5	75197.1	75331.2
JATC	(Lintong)	-44678.6	-44704.0	-44734.6	-44758.2	-44783.8	-44808.9	-44833.7	-44861.9
KRIS	(Daejeon)	23834.5	23916.8	23991.7	24063.1	24148.4	24227.8	24302.9	24407.2
NICT	(Tokyo)	89.6	92.0	92.3	93.0	93.2	93.2	94.2	94.3
NIST	(Boulder)	-45323363.8	-45323555.3	-45323748.2	-45323940.0	-45324131.5	-45324323.4	-45324515.8	-45324708.7
NRC	(Ottawa)	31521.9	31548.9	31572.2	31586.6	31605.2	31628.3	31655.9	31673.9
NTSC	(Lintong)	6911.6	6940.6	6963.0	6992.1	7019.5	7047.8	7076.3	7101.1
ONRJ	(Rio de Janeiro)	-3065.8	-3092.9	-3119.6	-3149.4	-3184.8	-3214.2	-3242.0	-3269.3
PL	(Warszawa)	-4807.3	-4824.4	-4832.1	-4842.0	-4854.0	-4866.8	-4875.7	-4888.3
PTB	(Braunschweig)	-357161.6	-357152.9	-357147.3	-357138.0	-357128.0	-357118.0	-357109.6	-357100.5
SU	(Moskva)	27248199.3	27248269.6	27248341.1	27248413.0	27248484.4	27248558.0	27248632.1	27248705.1 (1)
TL	(Chung-Li)	511.4	502.6	498.1	487.1	482.8	477.3	472.2	468.3
USNO	(Washington DC)	-35025272.9	-35025574.2	-35025874.4	-35026175.8	-35026475.8	-35026776.4	-35027076.3	-35027377.6

- Note on section 2:

- (1) SU : Listed values are $TAI-TA(SU) - 2.80$ seconds.

3 - Difference between the normalized frequencies of EAL (free atomic time scale) and TAI.

	Interval of validity	$f(EAL)-f(TAI)$	
Steering correction	54674 - 54709	6.750×10^{-13}	(2008 JUL 27 - 2008 AUG 31)
New correction	54709 - 54739	6.747×10^{-13}	(2008 AUG 31 - 2008 SEP 30)
New correction foreseen	54739 - 54769	6.742×10^{-13}	(2008 SEP 30 - 2008 OCT 30)

4 - Duration of the TAI scale interval.

TAI is a realization of coordinate time TT. The following tables give the fractional deviation d of the scale interval of TAI from that of TT (the SI second on the geoid), i.e. the fractional frequency deviation of TAI with the opposite sign: $d = -y_{TAI}$. In this section, a frequency over a time interval is defined as the ratio of the end-point phase difference to the duration of the interval. Whenever needed, the instability of EAL should be expressed as the quadratic sum of three components with τ in days: (1) a white frequency noise of $3.0 \times 10^{-15} / \sqrt{\tau}$, (2) a flicker frequency noise of 0.5×10^{-15} and (3) a random walk frequency noise of $1.0 \times 10^{-16} \times \sqrt{\tau}$. The relation between EAL and TAI is given in *Circular T* and the *BIPM Annual Report on Time Activities*.

In the first table, d is obtained, on the given periods of estimation by comparison of the TAI frequency with that of the given individual Primary Frequency Standards (PFS). In this table: u_A is the uncertainty originating in the instability of the PFS, u_B is the combined uncertainty from systematic effects, $Ref(u_B)$ is a reference giving information on the stated value of u_B or is the *Circular T* where this reference was first given, $u_{1/1ab}$ is the uncertainty in the link between the PFS and the clock participating to TAI, including the uncertainty due to the dead-time, $u_{1/TAI}$ is the uncertainty in the link to TAI, u is the quadratic sum of all four uncertainty values. All values are expressed in 10^{-15} .

Standard	Period of Estimation	d	u_A	u_B	Ref(u_B)	$u_{1/1ab}$	$u_{1/TAI}$	u	Note
PTB-CS1	54674 54709	-2.1	5.0	8.0	T148	0.0	0.1	9.4	(1)
PTB-CS2	54674 54709	-3.1	3.0	12.0	T148	0.0	0.1	12.4	(1)
SYRTE-F02	54644 54669	2.7	0.3	0.4	T227	0.1	0.4	0.7	(2),(3)
PTB-CSF1	54679 54704	6.1	0.1	0.9	T162	0.0	0.2	0.9	(4)
NIST-F1	54654 54674	4.1	0.3	0.3	T214	0.3	0.5	0.7	(5)
NMIJ-F1	54679 54704	2.9	0.7	3.9	T213	0.3	0.5	4.0	(6)

Notes:

- (1) Continuously operating as a clock participating to TAI.
- (2) Report 26 August 2008 by LNE-SYRTE.
- (3) Erratum: Do not consider the values for SYRTE-F02 in Circular T 247. Values in the above table are based on the corrected report (2).
- (4) Report 4 September 2008 by PTB.
- (5) Report 7 August 2008 by NIST.
- (6) Report 5 September 2008 by NMIJ.

The second table gives the BIPM estimate of d , based on all available PFS measurements over the period MJD 54314-54709, taking into account their individual uncertainties and characterizing the instability of EAL as noted above. u is the computed standard uncertainty of d

Period of estimation	d	u	
54674-54709	4.9×10^{-15}	0.8×10^{-15}	(2008 JUL 27 - 2008 AUG 31)

5 - Relations of UTC and TAI with GPS time and GLONASS time.

$$\begin{aligned}
 [UTC-GPS \text{ time}] &= -14 \text{ s} + C_0, & [TAI-GPS \text{ time}] &= 19 \text{ s} + C_0, & \text{global uncertainty is of order 10 ns.} \\
 [UTC-GLONASS \text{ time}] &= 0 \text{ s} + C_1, & [TAI-GLONASS \text{ time}] &= 33 \text{ s} + C_1, & \text{global uncertainty is of order hundreds ns.}
 \end{aligned}$$

The C_0 values provide a realization of GPS time, as obtained using the values $[UTC-UTC(OP)]$ and the GPS data taken at the Paris Observatory, corrected for IGS precise orbits, clocks and ionosphere maps. The C_1 values provide a realization of GLONASS time, as obtained using the values $[UTC-UTC(AOS)]$ and the GLONASS data taken at the Astrogeodynamical Observatory Borowiec (AOS). N_0 and N_1 are the numbers of measurements, when N_0 or N_1 is 0, the corresponding values of C_0 or C_1 are interpolated. The standard deviations σ_0 and σ_1 characterize the dispersion of individual measurements. The actual uncertainty of user's access to GPS and GLONASS times may differ from these values. For this circular, $\sigma_0 = 2.5 \text{ ns}$, $\sigma_1 = 10.9 \text{ ns}$

Date 2008	0h UTC	MJD	C_0/ns	N_0	C_1/ns	N_1
JUL 27		54674	-4.3	46	-485.9	81
JUL 28		54675	-6.4	45	-481.2	82
JUL 29		54676	-4.6	46	-480.7	77
JUL 30		54677	-7.1	44	-482.6	76
JUL 31		54678	-8.1	44	-478.7	77
AUG 1		54679	-6.5	45	-468.0	76
AUG 2		54680	-6.9	44	-468.6	73
AUG 3		54681	-8.2	44	-478.4	64
AUG 4		54682	-8.6	48	-478.5	77
AUG 5		54683	-7.8	47	-471.3	73
AUG 6		54684	-6.8	46	-465.4	78
AUG 7		54685	-6.9	43	-463.6	14
AUG 8		54686	-5.3	47	-470.1	75
AUG 9		54687	-6.4	47	-465.8	70
AUG 10		54688	-6.1	47	-457.2	65
AUG 11		54689	-8.0	45	-461.9	58
AUG 12		54690	-6.9	43	-464.0	66
AUG 13		54691	-9.0	42	-463.0	71
AUG 14		54692	-7.8	43	-456.1	72
AUG 15		54693	-5.6	41	-448.5	73
AUG 16		54694	-6.1	43	-442.8	75
AUG 17		54695	-5.4	42	-436.8	78
AUG 18		54696	-4.9	45	-429.9	79
AUG 19		54697	-5.2	45	-427.9	70
AUG 20		54698	-4.6	47	-424.1	65
AUG 21		54699	-6.0	46	-422.3	71
AUG 22		54700	-4.3	45	-417.5	80
AUG 23		54701	-0.4	46	-406.5	41
AUG 24		54702	-0.7	44	-	-
AUG 25		54703	0.9	47	-	-
AUG 26		54704	2.5	44	-	-
AUG 27		54705	1.5	46	-370.7	11
AUG 28		54706	0.9	46	-374.7	73
AUG 29		54707	3.1	44	-380.0	68
AUG 30		54708	-0.2	46	-376.5	77
AUG 31		54709	-2.0	45	-370.1	76

6 - Time links used for the computation of TAI and their uncertainties.

The time links used in the elaboration of this *Circular T* are listed in this section. The technique for the link is indicated as follows: GPS SC for GPS all-in-view single-channel C/A data; GPS MC for GPS all-in-view multi-channel C/A data; GPS P3 for GPS all-in-view multi-channel dual-frequency P code data; GPS PPP for GPS Precise Point Positioning technique; GPS GT for 'GPS time' observations; INT LK for internal cable link and TWSTFT for two-way satellite time and frequency transfer data.

For each link, the following uncertainties are provided: u_A is the statistical uncertainty evaluated by taking into account the level of phase noise in the raw data, the interpolation interval between data points and the effects with typical duration between 5 and 30 days. u_B is the estimated uncertainty on the calibration.

The calibration type of the link is indicated as: GPS EC for GPS equipment calibration; TW EC for two-way equipment calibration; LC (technique) for a link calibrated using 'technique'; BC (technique) for a link calibrated using 'technique' to transfer a past equipment calibration through a discontinuity of link operation. DIC is used for direct internal calibration.

The calibration dates indicate: the most recent calibration results for the two laboratories in the case of EC and the most recent calibration of the link in the case of LC and BC, NA stands for not available, in this case estimated values are provided

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
AOS /PTB	TWSTFT	0.5	5.0	BC(GPS MC)	2008 May
APL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2003 Dec/2004 Jul
AUS /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Nov/2004 Jul
BEV /PTB	GPS MC	1.5	3.0	BC(TWSTFT)	2008 Jan
BIM /PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2007 Nov
BIRM/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
BY /PTB	GPS SC	7.0	20.0	NA /GPS EC	NA /2004 Jul
CAO /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2004 Nov/2004 Jul
CH /PTB	TWSTFT	0.5	1.0	BC(GPS PPP)	2006 Jun
CNM /PTB	GPS MC	2.5	5.0	BC(GPS SC)	2008 May
CNMP/PTB	GPS MC	3.0	5.0	GPS EC/GPS EC	2004 May/2004 Jul
DLR /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2007 Feb/2004 Aug
DTAG/PTB	GPS MC	4.0	10.0	GPS EC/GPS EC	1998 May/2004 Jul
EIM /PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2003 Aug
HKO /PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Sep/2004 Jul
IFAG/PTB	GPS SC	2.5	5.0	GPS EC/GPS EC	2003 Jun/2004 Jul
IGMA/PTB	NA				
INPL/PTB	NA				
IT /PTB	TWSTFT	0.5	1.0	BC(TWSTFT)	2006 Mar
JATC/NTSC	INT LK	0.2	1.0	DIC	/2006 Sep

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
JV /PTB	GPS GT	5.0	20.0	NA /GPS EC	NA /2003 Aug
KIM /PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2004 Jul
KRIS/PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Dec/2004 Jul
LDS /PTB	NA				
LT /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Nov/2004 Jul
LV /PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2006 Feb/2004 Jul
MIKE/PTB	GPS MC	5.0	20.0	NA /GPS EC	NA /2004 Jul
MKEH/PTB	GPS SC	2.5	20.0	NA /GPS EC	NA /2004 Jul
MSL /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NAO /PTB	NA				
NICT/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 Jun/2004 Aug
NIM /PTB	GPS MC	1.5	20.0	NA /GPS EC	NA /2004 Jul
NIMB/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
NIMT/PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NIS /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2005 May/2004 Jul
NIST/PTB	TWSTFT	0.5	5.0	BC(GPS EC)	2005 May
NMIJ/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2002 Apr/2004 Aug
NMLS/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
NPL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2002 Jun/2004 Jul
NPLI/PTB	GPS MC	2.5	7.0	GPS EC/GPS EC	2005 Jul/2004 Jul
NRC /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Nov/2004 Aug
NRL /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2002 May/2004 Aug
NTSC/PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Sep/2004 Jul
ONBA/PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Jul/2004 Jul
ONRJ/PTB	GPS MC	4.0	20.0	NA /GPS EC	NA /2004 Jul
OP /PTB	TWSTFT	0.5	1.0	BC(TWSTFT)	2006 Mar
ORB /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Jul/2004 Aug
PL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Oct/2004 Jul
ROA /PTB	TWSTFT	0.7	5.0	BC(GPS PPP)	2005 May
SCL /PTB	GPS MC	3.0	10.0	LC(GPS SC)	1993 May
SG /PTB	GPS MC	3.0	5.0	GPS EC/GPS EC	2004 Nov/2004 Jul
SIQ /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2003 Aug
SMU /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2004 Jul
SP /PTB	GPS P3	0.7	1.5	BC(GPS PPP)	2004 Aug
SU /PTB	GPS SC	3.0	5.0	GPS EC/GPS EC	2003 Apr/2004 Jul
TCC /PTB	NA				
TL /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 May/2004 Aug
TP /PTB	GPS P3	0.9	5.0	LC(GPS SC)	2004 Jul
UA /PTB	GPS MC	2.5	6.0	GPS EC/GPS EC	2006 Jun/2004 Jul
UME /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2005 Dec/2004 Jul
USNO/PTB	TWSTFT	0.5	1.1	BC(TW X-Band)	2005 May
VMI /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
VSL /PTB	TWSTFT	0.5	1.0	BC(GPS PPP)	2006 Mar
ZA /PTB	NA				
ZMDM/PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2005 Mar/2004 Jul