

BUREAU INTERNATIONAL DES POIDS ET MESURES
ORGANISATION INTERGOUVERNEMENTALE DE LA CONVENTION DU METRE
PAVILLON DE BRETEUIL F-92312 SEVRES CEDEX TEL. +33 1 45 07 70 70 FAX. +33 1 45 34 20 21 tai@bipm.org

1 - Coordinated Universal Time UTC and its local realizations UTC(k). Computed values of $[UTC-UTC(k)]$ and uncertainties valid for the period of this Circular.
From 2006 January 1, 0h UTC, $TAI-UTC = 33$ s. From 2009 January 1, 0h UTC, $TAI-UTC = 34$ s.

Date 2008/09 0h UTC	DEC 29	JAN 3	JAN 8	JAN 13	JAN 18	JAN 23	JAN 28	Uncertainty/ns			Notes
MJD	54829	54834	54839	54844	54849	54854	54859	u_A	u_B	u	
Laboratory k	$[UTC-UTC(k)]/ns$										
AOS (Borowiec)	-6.8	-10.6	-12.9	-12.3	-12.1	-10.2	-9.0	0.6	5.1	5.1	
APL (Laurel)	-7.4	-3.5	-16.5	-19.0	-14.9	-16.9	-4.8	1.5	5.0	5.3	
AUS (Sydney)	841.7	867.2	895.6	924.0	948.9	975.3	1006.0	1.5	5.0	5.3	
BEV (Wien)	-100.9	-101.1	-6.5	-0.3	-4.4	-6.6	-8.2	1.5	3.2	3.5	(1)
BIM (Sofiya)	-6975.0	-7004.1	-7034.2	-7054.7	-7073.3	-7068.6	-7105.4	2.0	7.1	7.4	
BIRM (Beijing)	-6843.8	-6880.5	-6918.6	-6955.5	-6993.4	-7030.0	-7074.4	2.0	20.0	20.1	
BY (Minsk)	148.0	164.9	177.9	167.2	190.1	193.4	245.1	7.0	20.0	21.2	
CAO (Cagliari)	-2545.6	-2584.0	-2617.9	-2643.6	-2677.6	-2699.3	-2713.9	1.5	7.0	7.2	
CH (Bern)	-14.8	-11.7	-10.3	-11.0	-7.9	-1.6	-1.2	0.6	1.4	1.5	
CNM (Queretaro)	19.7	13.6	8.0	9.8	11.3	17.5	23.9	2.5	5.0	5.6	
CNMP (Panama)	64.7	45.8	30.2	49.7	71.5	67.4	66.5	3.0	5.1	5.9	
DLR (Oberpfaffenhofen)	-50.6	-54.5	-56.1	-54.6	-64.1	-59.7	-60.6	0.7	5.1	5.2	
DTAG (Frankfurt/M)	-2.9	-14.4	-9.4	-4.4	5.9	-9.4	-31.1	4.0	10.0	10.8	
EIM (Thessaloniki)	-5.3	-7.2	-9.8	-4.4	-4.8	-5.0	-7.5	3.0	5.1	5.9	
HKO (Hong Kong)	-58.9	-56.3	-58.8	-62.5	-67.8	-72.9	-76.4	2.5	5.0	5.6	
IFAG (Wetzell)	-106.0	-108.1	-98.1	-102.9	-102.8	-111.3	-109.4	0.7	5.1	5.1	
IGMA (Buenos Aires)	-	-	-	-	-	-	-	-	-	-	
INPL (Jerusalem)	-	-	-	-	-	-	-	-	-	-	
INTI (Buenos Aires)	-291.9	-293.7	-299.3	-322.0	-330.9	-344.1	-355.4	4.0	20.0	20.4	
IT (Torino)	10.2	9.7	9.7	11.0	8.3	8.6	7.3	0.6	1.4	1.5	
JATC (Lintong)	-19.5	-20.2	-20.0	-20.1	-24.7	-27.0	-25.2	1.4	4.8	5.0	
JV (Kjeller)	13808.3	13905.5	14041.3	14177.4	14269.7	14415.8	14512.2	5.0	20.0	20.6	
KIM (Serpong-Tangerang)	-	-322.5	-293.5	-305.1	-332.1	-356.2	-382.2	3.0	20.0	20.3	
KRIS (Daejeon)	-22.3	-19.2	-10.7	-25.5	-19.9	-14.7	-11.3	0.7	5.0	5.1	
KZ (Astana)	-729.9	-786.8	-834.7	-885.4	-933.7	-677.6	-683.6	2.0	20.0	20.1	
LT (Vilnius)	517.6	533.6	529.6	552.5	562.4	555.0	557.4	1.5	5.1	5.3	
LV (Riga)	2584.2	2610.0	2627.9	2650.7	2671.3	2691.9	2712.8	2.0	7.1	7.4	
MIKE (Espoo)	-72.2	-54.6	-43.2	-40.0	-24.7	-17.4	8.1	5.0	19.9	20.5	
MKEH (Budapest)	-14639.3	-14850.3	-15056.8	-15247.6	-15453.5	-15660.4	-15874.3	2.5	20.0	20.2	
MSL (Lower Hutt)	-275.2	-249.4	-226.0	-213.0	-192.6	-171.4	-143.8	1.0	20.0	20.0	

Date 2008/09 0h UTC MJD	DEC 29 54829	JAN 3 54834	JAN 8 54839	JAN 13 54844	JAN 18 54849	JAN 23 54854	JAN 28 54859	Uncertainty/ns			Notes
Laboratory <i>k</i>	[UTC-UTC(<i>k</i>)]/ns							<i>u_A</i>	<i>u_B</i>	<i>u</i>	
NAO (Mizusawa)	49.0	50.8	48.0	43.6	43.4	41.3	43.7	3.0	20.0	20.3	
NICT (Tokyo)	-14.7	-16.2	-17.8	-15.9	-14.4	-12.1	-12.6	0.7	4.5	4.6	
NIM (Beijing)	-113.5	-54.6	-72.2	-79.9	-62.9	-59.1	-63.4	1.0	20.0	20.0	(2)
NIMB (Bucharest)	-163.4	-180.9	-198.4	-197.0	-201.9	-204.0	-208.1	2.0	20.0	20.1	
NIMT (Bangkok)	193.1	183.5	171.3	163.6	154.0	132.5	117.7	1.0	20.0	20.1	
NIS (Cairo)	13.2	10.6	17.7	29.2	27.1	18.8	21.5	1.5	7.1	7.2	
NIST (Boulder)	4.1	3.0	4.0	5.0	3.9	5.1	3.9	0.5	4.9	4.9	
NMIJ (Tsukuba)	56.7	55.1	51.6	47.7	45.0	45.6	44.4	0.7	5.1	5.1	
NMLS (Sepang)	427.8	429.1	422.7	417.2	415.7	411.2	397.7	2.0	20.0	20.1	
NPL (Teddington)	-24.4	-22.7	-20.9	-19.3	-17.6	-14.1	-12.7	0.6	5.0	5.0	
NPLI (New-Delhi)	-40.8	-46.5	-46.6	-35.4	-27.8	-27.8	-19.1	2.5	7.1	7.5	
NRC (Ottawa)	18.0	17.4	15.5	13.8	17.0	17.0	18.7	0.7	5.1	5.1	
NRL (Washington DC)	-3.2	-6.7	-7.8	-9.3	-11.4	-9.2	-10.4	0.7	5.0	5.1	
NTSC (Lintong)	-4.9	-1.6	-10.3	-6.6	-9.2	-6.5	-6.4	1.4	4.7	4.9	
ONBA (Buenos Aires)	-1596.1	-1604.4	-1608.7	-1622.6	-1633.1	-1648.5	-1657.6	2.5	5.1	5.7	
ONRJ (Rio de Janeiro)	-23.6	-18.7	-14.1	-6.0	1.5	2.5	-15.1	3.9	19.5	19.9	
OP (Paris)	-54.8	-62.4	-73.2	-76.1	-77.4	-77.8	-76.3	0.5	1.4	1.5	
ORB (Bruxelles)	-34.4	-37.5	-41.6	-45.6	-48.5	-50.4	-51.7	0.7	5.1	5.1	
PL (Warszawa)	-36.7	-29.2	-26.5	-33.8	-31.0	-29.5	-26.1	1.5	4.9	5.1	
PTB (Braunschweig)	-13.1	-13.8	-18.7	-18.6	-21.9	-22.5	-23.9	0.3	1.0	1.1	
ROA (San Fernando)	69.5	64.4	55.6	63.2	57.2	55.1	57.4	0.7	5.0	5.0	
SCL (Hong Kong)	-27.5	-24.4	-15.1	-17.6	-15.0	-3.1	-7.3	3.0	10.0	10.4	
SG (Singapore)	-22.9	-24.5	-22.3	-22.9	-9.2	-6.7	0.9	3.0	5.1	5.9	
SIQ (Ljubljana)	-957.0	-1008.5	-1024.9	-991.6	-998.6	-1002.9	-988.8	5.0	20.0	20.6	
SMU (Bratislava)	49.9	34.7	25.9	24.5	32.3	38.9	35.9	5.0	20.0	20.6	
SP (Boras)	4.3	2.9	3.0	2.7	1.9	4.4	5.1	0.5	1.4	1.5	
SU (Moskva)	4.2	1.0	0.2	8.5	9.9	-0.3	4.4	3.0	5.1	5.9	
TCC (Concepcion)	222.6	221.9	230.2	232.7	242.8	239.2	230.2	1.5	20.0	20.1	
TL (Chung-Li)	14.3	15.0	8.7	5.4	0.5	-1.9	-5.4	0.7	4.8	4.9	
TP (Praha)	-0.6	-1.8	-10.1	-10.8	-11.1	-10.0	-13.1	0.9	5.1	5.2	
UA (Kharkov)	-27.1	-36.7	-58.1	-71.8	-63.6	-61.7	-67.9	2.5	6.1	6.6	
UME (Gebze-Kocaeli)	289.4	275.1	306.6	307.3	342.7	303.3	229.2	1.5	7.1	7.2	
USNO (Washington DC)	-5.7	-7.6	-7.7	-7.8	-7.5	-5.9	-6.3	0.4	1.3	1.3	
VMI (Ha Noi)	41.7	45.2	52.5	58.6	66.7	80.4	95.7	1.0	20.0	20.1	
VSL (Delft)	0.6	-20.6	-44.5	-43.9	-42.3	-40.5	-43.6	0.7	1.4	1.6	
ZA (Pretoria)	-	-	-	-	-	-	-	-	-	-	
ZMDM (Belgrade)	4350.2	4397.7	4433.6	4464.3	4507.1	4523.8	4554.9	2.0	7.0	7.3	

- Notes on section 1:

(1) BEV : Time step of UTC(BEV) of -100 ns on MJD 54838.6

(2) NIM : Time step of UTC(NIM) of -60 ns on MJD 54831.4

2 - International Atomic Time TAI and Local atomic time scales TA(k). Computed values of $[TAI-TA(k)]$.

Date 2008/09 0h UTC MJD Laboratory <i>k</i>	DEC 29 54829	JAN 3 54834	JAN 8 54839	JAN 13 54844	JAN 18 54849	JAN 23 54854	JAN 28 54859	
	$[TAI-TA(k)]/ns$							
CH (Bern)	51025.6	50984.3	50943.2	50900.4	50860.3	50823.5	50781.5	
F (Paris)	168145.8	168143.4	168139.2	168137.5	168136.1	168132.5	168128.3	
IT (Torino)	78549.6	78685.2	78823.6	78964.7	79099.5	79234.8	79377.0	
JATC (Lintong)	-45463.3	-45489.7	-45514.5	-45538.7	-45563.4	-45589.1	-45612.6	
KRIS (Daejeon)	26210.9	26290.1	26374.0	26436.9	26518.6	26599.9	26679.2	
NICT (Tokyo)	131.8	131.9	130.6	130.2	129.4	130.5	127.7	
NIST (Boulder)	-45329313.3	-45329506.4	-45329697.4	-45329888.4	-45330081.1	-45330271.4	-45330464.1	
NRC (Ottawa)	32124.5	32141.6	32097.6	32053.4	32014.0	31971.0	31930.1	(1)
NTSC (Lintong)	7767.9	7794.4	7819.8	7846.4	7873.2	7897.5	7924.1	
ONRJ (Rio de Janeiro)	-3993.8	-4008.2	-4027.5	-4048.2	-4067.7	-4093.8	-4116.5	
PL (Warszawa)	-5106.5	-5109.2	-5119.0	-5123.2	-5129.0	-5138.7	-5148.4	
PTB (Braunschweig)	-356961.3	-356954.6	-356951.9	-356944.4	-356940.1	-356933.2	-356927.2	
SU (Moskva)	27250693.3	27250780.3	27250870.7	27250971.9	27251067.9	27251154.0	27251255.1	(2)
TL (Chung-Li)	308.5	301.3	295.4	290.9	283.1	279.0	274.5	
USNO (Washington DC)	-35034588.2	-35034890.6	-35035190.7	-35035490.5	-35035793.1	-35036092.6	-35036394.5	

- Notes on section 2:

(1) NRC : ERRATUM, Corrected values /ns:

MJD	$TAI-TA(NRC)$
54774	31908.9
54779	31920.6
54784	31940.8
54789	31957.0
54794	31986.9
54799	32009.6

(2) SU : Listed values are $TAI-TA(SU)$ - 2.80 seconds.

3 - Difference between the normalized frequencies of EAL (free atomic time scale) and TAI.

	Interval of validity	$f(EAL)-f(TAI)$	
Steering correction	54829 - 54859	6.731×10^{-13}	(2008 DEC 29 - 2009 JAN 28)
New correction	54859 - 54889	6.726×10^{-13}	(2009 JAN 28 - 2009 FEB 27)
New correction foreseen	54889 - 54919	6.721×10^{-13}	(2009 FEB 27 - 2009 MAR 29)

4 - Duration of the TAI scale interval.

TAI is a realization of coordinate time TT. The following tables give the fractional deviation d of the scale interval of TAI from that of TT (the SI second on the geoid), i.e. the fractional frequency deviation of TAI with the opposite sign: $d = -y_{TAI}$. In this section, a frequency over a time interval is defined as the ratio of the end-point phase difference to the duration of the interval. Whenever needed, the instability of EAL should be expressed as the quadratic sum of three components with τ in days: (1) a white frequency noise of $3.0 \times 10^{-15} / \sqrt{\tau}$, (2) a flicker frequency noise of 0.5×10^{-15} and (3) a random walk frequency noise of $1.0 \times 10^{-16} \times \sqrt{\tau}$. The relation between EAL and TAI is given in *Circular T* and the *BIPM Annual Report on Time Activities*.

In the first table, d is obtained, on the given periods of estimation by comparison of the TAI frequency with that of the given individual Primary Frequency Standards (PFS). In this table: u_A is the uncertainty originating in the instability of the PFS, u_B is the combined uncertainty from systematic effects, $Ref(u_B)$ is a reference giving information on the stated value of u_B or is the *Circular T* where this reference was first given, $u_{1/Lab}$ is the uncertainty in the link between the PFS and the clock participating to TAI, including the uncertainty due to the dead-time, $u_{1/TAI}$ is the uncertainty in the link to TAI, u is the quadratic sum of all four uncertainty values. All values are expressed in 10^{-15} .

Standard	Period of Estimation	d	u_A	u_B	Ref(u_B)	$u_{1/Lab}$	$u_{1/TAI}$	u	Note
PTB-CS1	54829 54859	-9.8	5.0	8.0	T148	0.0	0.2	9.4	(1)
PTB-CS2	54829 54859	3.7	3.0	12.0	T148	0.0	0.2	12.4	(1)
NIST-F1	54844 54859	5.3	0.3	0.3	T214	0.6	0.6	0.9	(2)
NMIJ-F1	54839 54859	2.6	0.8	3.9	T213	0.3	0.7	4.0	(3)
SYRTE-JPO	54839 54859	13.6	0.9	6.3	T160	0.3	0.5	6.4	(4)
SYRTE-F01	54829 54839	5.7	0.3	0.4	T227	0.1	0.9	1.0	(4)
SYRTE-F01	54849 54859	5.2	0.2	0.4	T227	0.1	0.9	1.0	(4)
SYRTE-F02	54829 54859	6.5	0.3	0.5	T227	0.1	0.3	0.7	(4)
PTB-CSF1	54839 54859	5.9	0.1	0.9	T162	0.0	0.3	1.0	(5)
KRISS-1	54654 54669	-4.8	3.0	9.5	[1]	1.0	0.9	10.0	(6)
KRISS-1	54699 54709	-6.9	4.0	9.5	[1]	1.0	2.6	10.7	(6)
KRISS-1	54719 54739	2.3	2.0	9.5	[1]	1.0	1.4	9.9	(6)

Notes:

- (1) Continuously operating as a clock participating to TAI
- (2) Report 30 JAN. 2009 by NIST
- (3) Report 02 FEB. 2009 by NMIJ
- (4) Report 04 FEB. 2009 by LNE-SYRTE
- (5) Report 03 FEB. 2009 by PTB
- (6) Report 12 JAN. 2009 by KRIS
- [1] SooHeyong Lee et al. , submitted to Metrologia, November 2008.

The second table gives the BIPM estimate of d , based on all available PFS measurements over the period MJD 54469-54859, taking into account their individual uncertainties and characterizing the instability of EAL as noted above. u is the computed standard uncertainty of d

Period of estimation 54829-54859	d 5.7×10^{-15}	u 0.4×10^{-15}	(2008 DEC 29 - 2009 JAN 28)
-------------------------------------	------------------------------	------------------------------	-----------------------------

5 - Relations of UTC and TAI with GPS time and GLONASS time.

$$\begin{aligned}
 [UTC-GPS\ time] &= -14\ s + C_0, & [TAI-GPS\ time] &= 19\ s + C_0, & \text{until 2009 January 1, 0h UTC.} \\
 [UTC-GPS\ time] &= -15\ s + C_0, & [TAI-GPS\ time] &= 19\ s + C_0, & \text{from 2009 January 1, 0h UTC.} \\
 \text{Global uncertainty of } [UTC-GPS\ time] & \text{ is of order } 10\ \text{ns.} \\
 [UTC-GLONASS\ time] &= 0\ s + C_1, & [TAI-GLONASS\ time] &= 33\ s + C_1, & \text{until 2009 January 1, 0h UTC.} \\
 [UTC-GLONASS\ time] &= 0\ s + C_1, & [TAI-GLONASS\ time] &= 34\ s + C_1, & \text{from 2009 January 1, 0h UTC.} \\
 \text{Global uncertainty of } [UTC-GLONASS\ time] & \text{ is of order hundreds ns.}
 \end{aligned}$$

The C_0 values provide a realization of GPS time, as obtained using the values $[UTC-UTC(OP)]$ and the GPS data taken at the Paris Observatory, corrected for IGS precise orbits, clocks and ionosphere maps. The C_1 values provide a realization of GLONASS time, as obtained using the values $[UTC-UTC(AOS)]$ and the GLONASS data taken at the Astrogeodynamical Observatory Borowiec (AOS). N_0 and N_1 are the numbers of measurements, when N_0 or N_1 is 0, the corresponding values of C_0 or C_1 are interpolated. The standard deviations σ_0 and σ_1 characterize the dispersion of individual measurements. The actual uncertainty of user's access to GPS and GLONASS times may differ from these values. For this circular, $\sigma_0 = 2.8\ \text{ns}$, $\sigma_1 = 10.6\ \text{ns}$

Date 2008/09 0h UTC	MJD	C_0/ns	N_0	C_1/ns	N_1
DEC 29	54829	-16.1	47	-80.9	58
DEC 30	54830	-16.9	46	-77.8	61
DEC 31	54831	-14.3	6	-74.5	73
JAN 1	54832	-14.6	10	-71.4	50
JAN 2	54833	-12.1	47	-70.8	80
JAN 3	54834	-10.4	48	-72.7	76
JAN 4	54835	-11.7	48	-71.2	78
JAN 5	54836	-6.4	44	-67.5	68
JAN 6	54837	-3.4	48	-67.0	75
JAN 7	54838	-5.5	48	-59.6	69
JAN 8	54839	-7.2	48	-50.3	77
JAN 9	54840	-6.6	43	-48.5	76
JAN 10	54841	-9.4	48	-49.2	77
JAN 11	54842	-10.7	48	-38.9	77
JAN 12	54843	-10.3	48	-28.0	70
JAN 13	54844	-10.1	46	-21.1	78
JAN 14	54845	-12.6	48	-15.8	78
JAN 15	54846	-12.1	47	-16.6	78
JAN 16	54847	-8.7	47	-19.1	79
JAN 17	54848	-6.7	46	-21.5	81
JAN 18	54849	-8.1	48	-22.0	76
JAN 19	54850	-10.2	46	-19.8	74
JAN 20	54851	-7.5	44	-11.4	80
JAN 21	54852	-6.1	44	-6.7	84
JAN 22	54853	-5.0	49	-10.8	84
JAN 23	54854	-7.5	46	-13.9	82
JAN 24	54855	-11.3	44	-14.8	85
JAN 25	54856	-11.9	46	-14.4	83
JAN 26	54857	-8.5	42	-11.0	73
JAN 27	54858	-4.1	46	-6.5	80
JAN 28	54859	-5.0	44	-3.4	81

6 - Time links used for the computation of TAI and their uncertainties.

The time links used in the elaboration of this *Circular T* are listed in this section. The technique for the link is indicated as follows: GPS SC for GPS all-in-view single-channel C/A data; GPS MC for GPS all-in-view multi-channel C/A data; GPS P3 for GPS all-in-view multi-channel dual-frequency P code data; GPS PPP for GPS Precise Point Positioning technique; GPS GT for 'GPS time' observations; INT LK for internal cable link and TWSTFT for two-way satellite time and frequency transfer data.

For each link, the following uncertainties are provided: u_A is the statistical uncertainty evaluated by taking into account the level of phase noise in the raw data, the interpolation interval between data points and the effects with typical duration between 5 and 30 days. u_B is the estimated uncertainty on the calibration.

The calibration type of the link is indicated as: GPS EC for GPS equipment calibration; TW EC for two-way equipment calibration; LC (technique) for a link calibrated using 'technique'; BC (technique) for a link calibrated using 'technique' to transfer a past equipment calibration through a discontinuity of link operation. DIC is used for direct internal calibration.

The calibration dates indicate: the most recent calibration results for the two laboratories in the case of EC and the most recent calibration of the link in the case of LC and BC, NA stands for not available, in this case estimated values are provided

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
AOS /PTB	TWSTFT	0.5	5.0	BC(GPS MC)	2008 May
APL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2003 Dec/2004 Jul
AUS /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Nov/2004 Jul
BEV /PTB	GPS MC	1.5	3.0	BC(TWSTFT)	2008 Jan
BIM /PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2007 Nov
BIRM/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
BY /PTB	GPS SC	7.0	20.0	NA /GPS EC	NA /2004 Jul
CAO /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2004 Nov/2004 Jul
CH /PTB	TWSTFT	0.5	1.0	BC(GPS PPP)	2006 Jun
CNM /PTB	GPS MC	2.5	5.0	BC(GPS SC)	2008 May
CNMP/PTB	GPS MC	3.0	5.0	GPS EC/GPS EC	2004 May/2004 Jul
DLR /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2007 Feb/2004 Aug
DTAG/PTB	GPS MC	4.0	10.0	GPS EC/GPS EC	1998 May/2004 Jul
EIM /PTB	GPS MC	3.0	5.0	GPS EC/GPS EC	2007 May/2003 Aug
HKO /PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Sep/2004 Jul
IFAG/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Jun/2004 Aug
IGMA/PTB	NA				
INPL/PTB	NA				
INTI/PTB	GPS MC	4.0	20.0	NA /GPS EC	NA /2004 Jul
IT /PTB	TWSTFT	0.5	1.0	BC(TWSTFT)	2006 Mar

Link	Type	u_A /ns	u_B /ns	Calibration Type	Calibration Dates
JATC/NTSC	INT LK	0.2	1.0	DIC	/2006 Sep
JV /PTB	GPS GT	5.0	20.0	NA /GPS EC	NA /2003 Aug
KIM /PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2004 Jul
KRIS/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 Aug/2004 Aug
KZ /PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
LT /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Nov/2004 Jul
LV /PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2006 Feb/2004 Jul
MIKE/PTB	GPS MC	5.0	20.0	NA /GPS EC	NA /2004 Jul
MKEH/PTB	GPS SC	2.5	20.0	NA /GPS EC	NA /2004 Jul
MSL /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NAO /PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2004 Jul
NICT/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 Jun/2004 Aug
NIM /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NIMB/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
NIMT/PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NIS /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2005 May/2004 Jul
NIST/PTB	TWSTFT	0.5	5.0	BC(GPS EC)	2005 May
NMIJ/PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2002 Apr/2004 Aug
NMLS/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2004 Jul
NPL /PTB	TWSTFT	0.5	5.0	LC(GPS MC)	2006 Dec
NPLI/PTB	GPS MC	2.5	7.0	GPS EC/GPS EC	2005 Jul/2004 Jul
NRC /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Nov/2004 Aug
NRL /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2002 May/2004 Aug
NTSC/PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Sep/2004 Jul
ONBA/PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Jul/2004 Jul
ONRJ/PTB	GPS MC	4.0	20.0	NA /GPS EC	NA /2004 Jul
OP /PTB	TWSTFT	0.5	1.0	BC(TWSTFT)	2006 Mar
ORB /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2003 Jul/2004 Aug
PL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2001 Oct/2004 Jul
ROA /PTB	TWSTFT	0.7	5.0	BC(GPS PPP)	2005 May
SCL /PTB	GPS MC	3.0	10.0	LC(GPS SC)	1993 May
SG /PTB	GPS MC	3.0	5.0	GPS EC/GPS EC	2004 Nov/2004 Jul
SIQ /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2003 Aug
SMU /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2004 Jul
SP /PTB	TWSTFT	0.5	1.0	BC(GPS PPP)	2006 Mar
SU /PTB	GPS SC	3.0	5.0	GPS EC/GPS EC	2003 Apr/2004 Jul
TCC /PTB	GPS P3	1.5	20.0	NA /GPS EC	NA /2004 Aug
TL /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2005 May/2004 Aug
TP /PTB	GPS P3	0.9	5.0	LC(GPS SC)	2004 Jul
UA /PTB	GPS MC	2.5	6.0	GPS EC/GPS EC	2006 Jun/2004 Jul
UME /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2005 Dec/2004 Jul
USNO/PTB	TWSTFT	0.5	1.1	BC(TW X-Band)	2005 May
VMI /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
VSL /PTB	TWSTFT	0.7	1.0	BC(GPS PPP)	2006 Mar
ZA /PTB	NA				
ZMDM/PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2005 Mar/2004 Jul