

BUREAU INTERNATIONAL DES POIDS ET MESURES  
ORGANISATION INTERGOUVERNEMENTALE DE LA CONVENTION DU METRE  
PAVILLON DE BRETEUIL F-92312 SEVRES CEDEX TEL. +33 1 45 07 70 70 FAX. +33 1 45 34 20 21 tai@bipm.org

1 - Coordinated Universal Time UTC and its local realizations UTC(k). Computed values of  $[UTC-UTC(k)]$  and uncertainties valid for the period of this Circular. From 2009 January 1, 0h UTC,  $TAI-UTC = 34$  s.

Date 2011 MJD Laboratory <i>k</i>	0h UTC	JAN 28 55589	FEB 2 55594	FEB 7 55599	FEB 12 55604	FEB 17 55609	FEB 22 55614	FEB 27 55619	Uncertainty/ns Notes		
		$[UTC-UTC(k)]/ns$							$u_A$	$u_B$	$u$
AOS (Borowiec)		10.7	13.1	13.3	12.6	12.2	12.2	9.6	0.6	5.3	5.3
APL (Laurel)		4.3	-0.5	-3.7	-4.1	-7.3	-9.9	-10.9	1.5	5.2	5.4
AUS (Sydney)		379.8	399.7	416.3	431.4	449.9	469.3	482.7	0.4	5.2	5.2
BEV (Wien)		36.8	42.3	55.9	60.5	61.5	72.9	74.5	1.5	3.4	3.7
BIM (Sofiya)		-6274.1	-6262.6	-6244.7	-6248.7	-6235.0	-6232.1	-6215.9	2.0	7.2	7.4
BIRM (Beijing)		-12561.6	-12596.4	-12637.9	-12682.7	-12724.2	-12769.2	-12809.4	2.0	20.1	20.2
BY (Minsk)		22.6	21.2	17.1	15.3	7.9	23.3	56.1	2.0	7.2	7.5
CAO (Cagliari)		-5016.8	-5017.7	-5027.3	-5042.3	-5053.6	-5044.1	-5044.5	1.5	7.1	7.3
CH (Bern)		-17.4	-11.6	-6.5	-5.5	-2.7	0.4	1.3	0.6	1.9	2.0
CNM (Queretaro)		-57.7	-57.3	-28.0	-9.0	-6.3	-8.8	5.9	2.5	5.3	5.8
CNMP (Panama)		-57.5	-69.8	-77.3	-87.8	-80.9	-69.6	-55.0	3.0	5.3	6.1
DLR (Oberpfaffenhofen)		-7.8	-6.6	-3.5	-1.0	-0.4	0.0	-14.5	0.4	5.3	5.3
DMDM (Belgrade)		-6.6	-4.0	-0.3	4.2	5.6	5.9	20.5	2.0	7.2	7.4
DTAG (Frankfurt/M)		-	-228.3	-225.6	-219.2	-211.7	-205.1	-197.2	0.4	10.1	10.1
EIM (Thessaloniki)		0.9	6.1	9.3	1.7	10.2	-1.9	2.5	3.5	5.3	6.3
HKO (Hong Kong)		37.1	44.9	41.0	38.3	42.2	36.1	29.8	2.5	5.3	5.8
IFAG (Wetzell)		-150.3	-160.5	-172.3	-174.3	-181.1	-188.8	-192.6	0.4	5.2	5.2
IGNA (Buenos Aires)		1277.9	1339.6	1409.0	1495.4	1511.9	-	-	2.5	5.3	5.8
INPL (Jerusalem)		-120.2	-125.1	-126.5	-126.6	-133.9	-136.2	-146.2	2.5	20.1	20.2
INTI (Buenos Aires)		90.2	61.5	47.8	65.7	94.6	78.1	63.6	4.0	20.1	20.5
IPQ (Caparica)		-212.0	-236.3	-249.1	-261.0	-281.2	-273.6	-261.3	1.0	7.1	7.2
IT (Torino)		2.4	2.3	1.4	2.7	4.2	3.4	4.0	0.7	2.0	2.1
JATC (Lintong)		8.3	13.9	10.7	11.6	8.9	8.6	9.9	1.4	5.0	5.2
JV (Kjeller)		-41941.1	-42007.4	-42088.5	-42157.5	-42212.2	-42291.6	-42355.4	5.0	20.1	20.7
KIM (Serpong-Tangerang)		-137.7	-146.8	-159.8	-141.2	-150.1	-177.8	-175.2	3.0	20.1	20.3
KRIS (Daejeon)		-12.3	-9.3	-6.1	-8.2	-7.4	-8.9	-9.2	0.3	5.2	5.2
KZ (Astana)		2.5	-1.2	0.4	-2.2	-7.0	-10.4	-11.2	2.0	20.1	20.2
LT (Vilnius)		336.1	325.4	300.9	286.2	283.4	272.4	254.9	2.0	5.3	5.6
LV (Riga)		3629.6	3629.0	-	-	-	-	-	0.8	7.2	7.2 (1)
MIKE (Espoo)		4.1	4.3	3.7	2.8	1.7	1.5	1.4	0.4	7.1	7.2

Date 2011	0h UTC	JAN 28	FEB 2	FEB 7	FEB 12	FEB 17	FEB 22	FEB 27	Uncertainty/ns Notes		
MJD		55589	55594	55599	55604	55609	55614	55619	$u_A$	$u_B$	$u$
Laboratory	$k$	[UTC-UTC(k)]/ns									
MKEH	(Budapest)	-46181.2	-46400.8	-46619.2	-46836.3	-47044.9	-47261.8	-47475.1	4.0	20.1	20.4
MSL	(Lower Hutt)	357.8	281.6	256.4	243.4	206.5	144.9	80.8	1.0	20.1	20.1
NAO	(Mizusawa)	-21.9	-22.5	-14.9	-15.0	-16.3	-17.4	-23.2	3.0	19.9	20.2
NICT	(Tokyo)	9.4	8.9	7.5	6.3	3.6	3.0	3.2	0.3	4.8	4.8
NIM	(Beijing)	-2.8	0.9	3.6	6.8	6.8	7.7	7.5	0.7	5.2	5.3
NIMB	(Bucharest)	-290.1	-308.5	-299.6	-300.2	-323.2	-328.8	-347.7	2.0	20.1	20.2
NIMT	(Pathumthani)	399.9	450.8	508.1	546.5	588.2	649.6	706.1	1.0	20.1	20.1
NIS	(Cairo)	-	30.6	27.4	31.1	26.3	23.8	22.6	0.8	7.2	7.2
NIST	(Boulder)	9.1	9.7	10.2	10.2	9.8	9.5	9.4	0.3	5.1	5.1
NMIJ	(Tsukuba)	-11.0	-9.7	-8.5	-8.2	-7.8	-6.6	-5.8	0.3	5.2	5.2
NMLS	(Sepang)	-1698.9	-1629.0	-1554.7	-1493.1	-1435.5	-1372.0	-1302.5	2.0	20.1	20.2
NPL	(Teddington)	-7.0	-3.4	-0.1	3.0	7.0	10.7	15.4	0.8	5.3	5.3
NPLI	(New-Delhi)	-19.5	-14.9	-23.3	-24.0	-22.8	-19.6	-16.7	2.5	7.2	7.6
NRC	(Ottawa)	-10.2	-18.0	-24.3	-29.6	-32.7	-42.2	-52.1	0.3	5.2	5.2
NRL	(Washington DC)	-3.9	0.8	5.4	6.3	6.9	8.8	9.0	0.4	5.2	5.2
NTSC	(Lintong)	2.6	8.0	9.7	9.3	9.6	9.4	8.9	1.4	4.9	5.1
ONBA	(Buenos Aires)	-4273.6	-4292.1	-4336.7	-4350.3	-4371.2	-4390.6	-4411.4	4.0	5.2	6.6
ONRJ	(Rio de Janeiro)	-2.2	14.4	8.8	-2.5	9.7	-23.7	11.5	3.9	19.6	20.0
OP	(Paris)	38.2	47.6	53.3	38.7	37.8	23.4	9.1	0.7	1.9	2.0
ORB	(Bruxelles)	-24.9	-20.6	-29.7	-37.2	-27.7	-20.5	16.7	0.4	5.3	5.3
PL	(Warszawa)	-3.4	1.0	2.4	23.6	25.2	16.1	8.6	1.5	5.2	5.4
PTB	(Braunschweig)	-2.4	-2.4	-2.1	-2.7	-3.1	-2.8	-2.2	0.2	1.6	1.7
ROA	(San Fernando)	25.4	23.3	20.6	16.0	12.0	10.0	7.6	0.3	5.2	5.2
SCL	(Hong Kong)	44.2	42.6	40.7	36.4	34.3	32.3	37.9	3.0	10.1	10.5
SG	(Singapore)	-5.4	-5.2	-2.3	-0.2	0.1	3.8	7.3	0.3	5.2	5.2
SIQ	(Ljubljana)	-358.1	-357.7	-373.9	-371.1	-361.6	-359.6	-354.0	5.0	20.1	20.7
SMD	(Bruxelles)	2.7	0.3	-0.6	5.4	5.8	6.5	5.7	1.5	19.6	19.7
SMU	(Bratislava)	-1.2	-8.6	-15.1	-21.3	-25.7	-26.5	-25.9	1.5	20.0	20.1
SP	(Boras)	1.5	1.7	1.4	-0.1	-1.2	-1.6	-1.8	0.3	1.9	1.9
SU	(Moskva)	-3.4	0.4	3.2	4.0	6.6	8.7	9.8	1.2	5.2	5.3
TCC	(Concepcion)	1082.6	1013.3	1004.3	1002.6	1016.0	1024.4	1033.3	0.4	5.3	5.3 (2)
TL	(Chung-Li)	-4.5	-0.5	0.2	-0.4	1.7	3.8	3.8	0.3	5.0	5.0
TP	(Prahá)	1.8	-3.3	-1.1	-7.2	-5.0	-10.7	-13.8	0.3	5.2	5.2
UA	(Kharkov)	-87.2	-79.1	-76.6	-77.4	-79.6	-87.8	-88.1	1.5	20.1	20.1
UME	(Gebze-Kocaeli)	-695.1	-689.3	-683.1	-667.1	-659.1	-656.5	-644.8	1.3	7.2	7.3
USNO	(Washington DC)	0.9	2.4	2.5	3.2	3.9	3.3	2.7	0.3	3.8	3.8
VMI	(Ha Noi)	-6.3	-7.8	-	-	-	-	-	1.0	20.1	20.1
VSL	(Delft)	-5.0	-2.8	0.0	-2.5	-1.6	-2.4	7.2	0.8	1.9	2.1
ZA	(Pretoria)	-3748.6	-3844.6	-3907.8	-3996.6	-4065.6	-4151.4	-4261.6	1.5	19.9	19.9

- Notes on section 1:

- (1) LV : Time activities are suspended for an undetermined period.  
 (2) TCC : Apparent time step of UTC(TCC) of +82.1 ns on MJD 55591.0 due to calibration.

ERRATUM 1 : Corrected values of uncertainties/ns in Section 1 of the *Circular T 277*:

	$u_A$	$u_B$	$u$
AOS :	0.6	5.3	5.3
NIST:	0.3	5.1	5.1
OP :	0.3	2.0	2.0
ROA :	0.3	5.2	5.2
SP :	0.3	1.9	2.0
SU :	1.2	5.2	5.3
UME :	1.3	7.2	7.3

2 - International Atomic Time TAI and Local atomic time scales TA(k). Computed values of  $[TAI-TA(k)]$ .

Date 2011	0h UTC	JAN 28	FEB 2	FEB 7	FEB 12	FEB 17	FEB 22	FEB 27
MJD		55589	55594	55599	55604	55609	55614	55619
Laboratory k		$[TAI-TA(k)]/ns$						
CH (Bern)		43464.1	43404.2	43343.7	43279.7	43216.2	43153.9	43089.3
F (Paris)		167812.0	167812.0	167809.9	167806.2	167804.0	167802.0	167800.7
IT (Torino)		99722.2	99852.6	99988.0	100121.5	100259.8	100401.3	100535.0
JATC (Lintong)		-49163.8	-49188.8	-49218.2	-49240.5	-49266.4	-49295.3	-49320.5
KRIS (Daejeon)		35359.2	35430.3	35500.6	35563.3	35630.3	35692.5	35756.3
NICT (Tokyo)		-148.8	-149.3	-148.1	-150.7	-149.8	-150.1	-151.6
NIST (Boulder)		-45358543.8	-45358736.2	-45358928.7	-45359121.7	-45359315.0	-45359507.8	-45359700.4
NRC (Ottawa)		27166.8	27133.5	27101.8	27071.2	27042.7	27008.0	26972.6
NTSC (Lintong)		11654.7	11679.8	11702.1	11729.4	11755.2	11776.8	11802.6
ONRJ (Rio de Janeiro)		-8808.0	-8832.4	-8860.6	-8889.6	-8915.9	-8939.9	-8970.4
PL (Warszawa)		-8244.0	-8263.6	-8282.8	-8295.7	-8316.0	-8336.5	-8356.6
PTB (Braunschweig)		-329210.9	-329210.8	-329201.5	-329194.4	-329190.1	-329183.3	-329177.3
SG (Singapore)		7257.6	7268.6	7282.6	7295.8	7306.8	7321.5	7336.2
SU (Moskva)		27269908.8	27270061.6	27270213.9	27270364.2	27270517.1	27270670.0	27270822.7 (1)
TL (Chung-Li)		-536.1	-532.4	-527.5	-526.2	-524.7	-520.1	-518.8
USNO (Washington DC)		-35079956.9	-35080249.9	-35080545.4	-35080840.6	-35081136.9	-35081433.2	-35081729.5

- Note on section 2:

- (1) SU : Listed values are  $TAI-TA(SU) - 2.80$  seconds.

3 - Difference between the normalized frequencies of EAL (free atomic time scale) and TAI.

	Interval of validity	$f(EAL) - f(TAI)$	
Steering correction	55589 - 55619	$6.591 \times 10^{-13}$	(2011 JAN 28 - 2011 FEB 27)
New correction	55619 - 55649	$6.584 \times 10^{-13}$	(2011 FEB 27 - 2011 MAR 29)
New correction foreseen	55649 - 55679	$6.577 \times 10^{-13}$	(2011 MAR 29 - 2011 APR 28)

4 - Duration of the TAI scale interval.

TAI is a realization of coordinate time TT. The following tables give the fractional deviation  $d$  of the scale interval of TAI from that of TT (the SI second on the geoid), i.e. the fractional frequency deviation of TAI with the opposite sign:  $d = -y_{TAI}$ . In this section, a frequency over a time interval is defined as the ratio of the end-point phase difference to the duration of the interval. Whenever needed, the instability of EAL should be expressed as the quadratic sum of three components with  $\tau$  in days: (1) a white frequency noise of  $2.0 \times 10^{-15} / \sqrt{\tau}$ , (2) a flicker frequency noise of  $0.4 \times 10^{-15}$  and (3) a random walk frequency noise of  $1.0 \times 10^{-16} \times \sqrt{\tau}$ . The relation between EAL and TAI is given in *Circular T* and the *BIPM Annual Report on Time Activities*.

In the first table,  $d$  is obtained, on the given periods of estimation by comparison of the TAI frequency with that of the given individual Primary Frequency Standards (PFS). In this table:  $u_A$  is the uncertainty originating in the instability of the PFS,  $u_B$  is the combined uncertainty from systematic effects,  $u_{1/Lab}$  is the uncertainty in the link between the PFS and the clock participating to TAI, including the uncertainty due to the dead-time,  $u_{1/TAI}$  is the uncertainty in the link to TAI,  $u$  is the quadratic sum of all four uncertainty values. Ref( $u_B$ ) is a reference giving information on the values of  $u_B$  or is the *Circular T* where the reference was first given.  $u_B(Ref)$  is the  $u_B$  value stated in this references. Note that all uncertainties may vary over time and that the current  $u_B$  values are generally not the same as the peer reviewed values given in Ref( $u_B$ ). See "<http://www.bipm.org/jsp/en/TimeFtp.jsp>" for previous issues of *Circular T* and individual Reports of Evaluation of Primary Frequency Standards that explain changes in uncertainties. All values are expressed in  $10^{-15}$  and are valid only for the stated period of estimation.

Standard	Period of Estimation	$d$	$u_A$	$u_B$	$u_{1/Lab}$	$u_{1/TAI}$	$u$	Ref( $u_B$ )	$u_B(Ref)$	Note
PTB-CS1	55589 55619	4.11	6.00	8.00	0.00	0.13	10.00	T148	8.	(1)
NMIJ-F1	55589 55619	5.92	0.70	3.90	0.30	0.20	3.98	T213	3.9	(2)
NPL-CsF2	55579 55599	5.13	0.23	0.40	0.01	0.75	0.88	T271	0.41	(3)
SYRTE-F02	55594 55619	6.66	0.25	0.39	0.11	0.54	0.72	T227	0.65	(4)
SYRTE-FOM	55594 55614	6.52	0.30	0.82	0.22	0.66	1.12	T184	0.80	(4)

Notes:

- (1) Continuously operating as a clock participating to TAI
- (2) Report 01 MAR. 2011 by NMIJ
- (3) Report 14 FEB. 2011 by NPL
- (4) Report 04 MAR. 2011 by LNE-SYRTE

The second table gives the BIPM estimate of  $d$ , based on all available PFS measurements over the period MJD 55229-55619, taking into account their individual uncertainties and characterizing the instability of EAL as noted above.  $u$  is the computed standard uncertainty of  $d$

Period of estimation	$d$	$u$	
55589-55619	$6.1 \times 10^{-15}$	$0.5 \times 10^{-15}$	(2011 JAN 28 - 2011 FEB 27)

5 - Relations of UTC and TAI with predictions of UTC(k) disseminated by GNSS and their System Times.

$$\begin{aligned}
 [UTC-GPS \text{ time}] &= -15 \text{ s} + C_0, & [TAI-GPS \text{ time}] &= 19 \text{ s} + C_0, & \text{global uncertainty is of the order of 10 ns.} \\
 [UTC-UTC(USNO) \text{ GPS}] &= C_0', & [TAI-UTC(USNO) \text{ GPS}] &= 34 \text{ s} + C_0', & \text{global uncertainty is of the order of 10 ns.} \\
 [UTC-GLONASS \text{ time}] &= C_1, & [TAI-GLONASS \text{ time}] &= 34 \text{ s} + C_1, & \text{global uncertainty is of the order of hundreds ns.} \\
 [UTC-UTC(SU) \text{ GLONASS}] &= C_1', & [TAI-UTC(SU) \text{ GLONASS}] &= 34 \text{ s} + C_1', & \text{global uncertainty is of the order of hundreds ns.}
 \end{aligned}$$

$[UTC(USNO) \text{ GPS}]$  and  $[UTC(SU) \text{ GLONASS}]$  are, respectively, UTC(USNO) and UTC(SU) as predicted by USNO and SU and disseminated by GPS and GLONASS. The  $C_0$  and  $C_0'$  values provide realizations of GPS time and of the prediction of UTC(USNO) broadcast by GPS, as obtained using the values  $[UTC-UTC(OP)]$  and the GPS data taken at the Paris Observatory, corrected for IGS precise orbits, clocks and ionosphere maps. The  $C_1$  and  $C_1'$  values provide realizations of GLONASS time and of the prediction of UTC(SU) broadcast by GLONASS, as obtained using the values  $[UTC-UTC(AOS)]$  and the GLONASS data taken at the Astrogodynamical Observatory Borowiec (AOS).  $N_0, N_0', N_1$  and  $N_1'$  are the numbers of measurements; when  $N_0, N_0', N_1$  or  $N_1'$  is 0, the corresponding values in the table are interpolated. The standard deviations  $\sigma_0, \sigma_0', \sigma_1$  and  $\sigma_1'$  characterize the dispersion of individual measurements. The actual uncertainty of users' access to GPS and GLONASS times may differ from these values. For this edition of circular,  $\sigma_0 = 1.3 \text{ ns}$ ,  $\sigma_0' = 1.3 \text{ ns}$ ,  $\sigma_1 = 8.0 \text{ ns}$ ,  $\sigma_1' = 9.3 \text{ ns}$

2011	0h UTC	MJD	$C_0/\text{ns}$	$N_0$	$C_0'/\text{ns}$	$N_0'$	$C_1/\text{ns}$	$N_1$	$C_1'/\text{ns}$	$N_1'$
	JAN 28	55589	-2.3	89	-3.3	89	-157.3	85	-316.8	89
	JAN 29	55590	-1.7	89	-4.1	89	-159.4	88	-318.9	89
	JAN 30	55591	0.3	90	-1.3	90	-158.9	90	-317.7	90
	JAN 31	55592	-0.4	89	-1.3	89	-156.7	86	-314.0	88
	FEB 1	55593	-2.1	89	-2.6	89	-154.9	69	-312.4	61
	FEB 2	55594	-3.1	89	-3.4	88	-	-	-	-
	FEB 3	55595	-2.0	90	0.9	90	-	-	-	-
	FEB 4	55596	1.7	89	6.5	89	-153.5	68	-304.6	64
	FEB 5	55597	-0.9	89	3.5	89	-159.5	85	-307.6	87
	FEB 6	55598	-4.5	89	-1.9	89	-162.2	89	-309.8	89
	FEB 7	55599	-2.3	90	-1.4	90	-160.1	90	-308.2	90
	FEB 8	55600	-2.4	89	-2.0	89	-158.9	89	-307.9	89
	FEB 9	55601	-1.9	88	-2.0	88	-160.0	74	-310.9	74
	FEB 10	55602	2.2	87	2.4	87	-164.5	84	-316.6	85
	FEB 11	55603	2.6	90	3.0	90	-168.4	90	-318.2	90
	FEB 12	55604	-1.0	89	-0.9	88	-169.3	86	-327.1	84
	FEB 13	55605	-6.0	89	-5.4	89	-170.0	85	-	-

2011	0h UTC	MJD	$C_0/ns$	$N_0$	$C_0'/ns$	$N_0'$	$C_1/ns$	$N_1$	$C_1'/ns$	$N_1'$
	FEB 14	55606	-2.8	89	-3.2	89	-168.2	83	-	-
	FEB 15	55607	-0.7	89	-1.2	89	-164.1	87	-320.1	90
	FEB 16	55608	-0.9	89	-1.4	89	-163.9	89	-323.4	89
	FEB 17	55609	-1.0	89	-1.5	89	-164.0	89	-329.0	89
	FEB 18	55610	0.4	87	-0.4	87	-161.4	89	-328.4	89
	FEB 19	55611	0.0	90	-1.7	90	-161.4	88	-329.4	90
	FEB 20	55612	-1.9	89	-3.7	89	-162.1	87	-329.5	89
	FEB 21	55613	0.2	89	0.4	89	-162.5	85	-329.3	89
	FEB 22	55614	-0.7	89	-0.6	89	-161.5	87	-329.5	89
	FEB 23	55615	0.4	90	-0.8	90	-160.8	90	-329.5	90
	FEB 24	55616	2.2	89	1.6	89	-160.6	89	-329.3	89
	FEB 25	55617	1.8	89	2.6	89	-158.4	89	-327.8	89
	FEB 26	55618	0.2	89	-0.3	89	-156.4	88	-327.0	89
	FEB 27	55619	0.2	90	-1.3	90	-155.4	90	-327.0	90

ERRATUM 2: Corrected values of  $C_0/ns$  in Section 5 of the *Circular T 276*:

MJD	$C_0$
55556	-7.0
55557	-4.4
55558	-6.5
55559	-7.9

6 - Time links used for the computation of TAI and their uncertainties.

The time links used in the elaboration of this *Circular T* are listed in this section. The technique for the link is indicated as follows: GPS SC for GPS all-in-view single-channel C/A data; GPS MC for GPS all-in-view multi-channel C/A data; GPS P3 for GPS all-in-view multi-channel dual-frequency P code data; GPS PPP for GPS Precise Point Positioning technique; GPS GT for 'GPS time' observations; GLN MC for GLONASS common-view multi-channel C/A data; GPSGLN for the combination of GPS MC and GLN MC links; TWGPPP/TWGPP3 for the combined smoothing of TWSTFT and GPS PPP/GPS P3; INT LK for internal cable link and TWSTFT for two-way satellite time and frequency transfer data.

For each link, the following uncertainties are provided:  $u_A$  is the statistical uncertainty evaluated by taking into account the level of phase noise in the raw data, the interpolation interval between data points and the effects with typical duration between 5 and 30 days.  $u_B$  is the estimated uncertainty of the calibration.

The calibration type of the link is indicated as: GPS EC for GPS equipment calibration; TW EC for two-way equipment calibration; LC (technique) for a link calibrated using 'technique'; BC (technique) for a link calibrated using 'technique' to transfer a past equipment calibration through a discontinuity of link operation. DIC is used for direct internal calibration.

The calibration dates indicate: the most recent calibration results for the two laboratories in the case of EC and the most recent calibration of the link in the case of LC and BC.  
NA stands for not available, in this case estimated values are provided.

Link	Type	$u_A$ /ns	$u_B$ /ns	Calibration Type	Calibration Dates
AOS /PTB	TWGPP3	0.6	5.0	BC(GPS MC)	2008 May
APL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2003 Dec/2006 Sep
AUS /PTB	GPSPPP	0.3	5.0	LC(GPS MC)	2009 Nov
BEV /PTB	GPS MC	1.5	3.0	BC(TWSTFT)	2008 Jan
BIM /PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2007 Nov
BIRM/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2006 Sep
BY /PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2008 Jun/2006 Sep
CAO /PTB	GPS MC	1.5	7.0	GPS EC/GPS EC	2004 Nov/2006 Sep
CH /PTB	TWSTFT	0.6	1.0	LC(TWSTFT)/BC(GPS PPP)	2008 Sep/2009 Aug
CNM /PTB	GPS MC	2.5	5.0	BC(GPS SC)	2008 May
CNMP/PTB	GPS MC	3.0	5.0	GPS EC/GPS EC	2004 May/2006 Sep
DLR /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2007 Feb/2004 Aug
DMDM/PTB	GPS MC	2.0	7.0	GPS EC/GPS EC	2007 Jan/2006 Sep
DTAG/PTB	GPSPPP	0.3	10.0	LC(GPS MC)	2009 Jul
EIM /PTB	GPS MC	3.5	5.0	GPS EC/GPS EC	2007 May/2003 Aug
HKO /PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Sep/2006 Sep
IFAG/PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2003 Jun/2004 Aug
IGNA/PTB	GPS MC	2.5	5.0	GPS EC/GPS EC	2004 Aug/2006 Sep
INPL/PTB	GPS P3	2.5	20.0	NA /GPS EC	NA /2004 Aug
INTI/PTB	GPS MC	4.0	20.0	NA /GPS EC	NA /2006 Sep
IPQ /PTB	TWSTFT	1.0	7.0	LC(GPS MC)	2010 Aug
IT /PTB	TWSTFT	0.7	1.2	LC(TWSTFT)/BC(GPS PPP)	2008 Sep/2009 Aug
JATC/NTSC	INT LK	0.2	1.0	DIC	/2006 Sep
JV /PTB	GPS GT	5.0	20.0	NA /GPS EC	NA /2003 Aug
KIM /PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2006 Sep
KRIS/PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2005 Aug/2004 Aug
KZ /PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2006 Sep
LT /PTB	GPS MC	2.0	5.0	GPS EC/GPS EC	2006 Oct/2006 Sep
LV /PTB	GPS P3	0.8	7.0	LC(GPS MC)	2010 Jun
MIKE/PTB	GPSPPP	0.3	7.0	NA /GPS EC	NA /2004 Aug
MKEH/PTB	GPS SC	4.0	20.0	NA /GPS EC	NA /2006 Sep
MSL /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NAO /PTB	GPS MC	3.0	20.0	NA /GPS EC	NA /2006 Sep
NICT/PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2005 Jun/2004 Aug
NIM /PTB	GPS P3	0.7	5.0	GPS EC/GPS EC	2009 Dec/2004 Aug
NIMB/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2006 Sep
NIMT/PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
NIS /PTB	GPS P3	0.8	7.0	LC(GPS MC)	2010 Jun
NIST/PTB	TWGPPP	0.3	5.0	LC(TWSTFT)/BC(GPS PPP)	2005 May/2009 Aug
NMIJ/PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2002 Apr/2004 Aug

Link	Type	$u_A$ /ns	$u_B$ /ns	Calibration Type	Calibration Dates
NMLS/PTB	GPS MC	2.0	20.0	NA /GPS EC	NA /2006 Sep
NPL /PTB	TWSTFT	0.8	5.0	LC(GPS P3)	2008 Sep/2009 Nov
NPLI/PTB	GPS MC	2.5	7.0	GPS EC/GPS EC	2005 Jul/2006 Sep
NRC /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2003 Nov/2004 Aug
NRL /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2002 May/2004 Aug
NTSC/PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2004 Sep/2006 Sep
ONBA/PTB	GPS MC	4.0	5.0	GPS EC/GPS EC	2004 Jul/2006 Sep
ONRJ/PTB	GPS MC	4.0	20.0	NA /GPS EC	NA /2006 Sep
OP /PTB	TWSTFT	0.7	1.1	LC(TWSTFT)/BC(GPS PPP)	2008 Sep/2009 Aug
ORB /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2003 Jul/2004 Aug
PL /PTB	GPS MC	1.5	5.0	GPS EC/GPS EC	2006 Oct/2006 Sep
ROA /PTB	TWGPPP	0.3	5.0	LC(TWSTFT)/BC(GPS PPP)	2005 May/2009 Aug
SCL /PTB	GPS MC	3.0	10.0	LC(GPS SC)	1993 May
SG /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2010 Mar/2004 Aug
SIQ /PTB	GPS SC	5.0	20.0	NA /GPS EC	NA /2003 Aug
SMD /PTB	GPS MC	1.5	20.0	NA /GPS EC	NA /2006 Sep
SMU /PTB	GPS MC	1.5	20.0	NA /GPS EC	NA /2006 Sep
SP /PTB	TWGPPP	0.3	1.0	LC(TWSTFT)/BC(GPS PPP)	2006 Mar/2009 Aug
SU /PTB	GPSGLN	1.2	5.0	LC(GPS MC)	2009 May
TCC /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2011 Feb/2004 Aug
TL /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2005 May/2004 Aug
TP /PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2009 Feb/2004 Aug
UA /PTB	GPS MC	1.5	20.0	NA /GPS EC	NA /2006 Sep
UME /PTB	GPSGLN	1.3	7.0	GPS EC/GPS EC	2005 Dec/2006 Sep
USNO/PTB	GPSPPP	0.3	5.0	GPS EC/GPS EC	2001 /2004 Aug
VMI /PTB	GPS P3	1.0	20.0	NA /GPS EC	NA /2004 Aug
VSL /PTB	TWSTFT	0.8	1.0	LC(TWSTFT)/BC(GPS PPP)	2006 Mar/2009 Aug
ZA /PTB	GPS P3	1.5	20.0	NA /GPS EC	NA /2004 Aug